MW-20	12									· · · · · · · · · · · · · · · · · · ·	
	LL RECORD	Form V	VWC-5	Div	rision of Wate	r Resources A	App. No	. L			
		Fraction		Section	n Number	Township	No.	Range N			
County: Edv		if unknown distance			33 Positioning	T 24 System (G		R 19		ΑM	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information: Latitude: .37.deg .55.24.00.N (in decimal degrees)						rees)	
200 ft. south of intersection of W. 6th Street & US Hwy 56					Longitude: 99090 24' 46.08° W (in decimal degrees)						
				Elevation:							
2 WATER WELL OWNER: ADM Grain				Collection Method:							
RR#, Street Address, Box #: 402 US Hwv 56				GPS unit (Make/Model:)							
City, State, ZIP Code : Kinsley, KS.					Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: <a></a> <a><a></a> <a><a><a><a><a><a><a><a><a><a><a><a></a></a></a></a></a></a></a></a></a></a></a></a></a>						
3 LOCATE WI	CLL					·,					
WITH AN "X		COMPLETED WE				Δ.	(2				
SECTION BO	Depth(s) Groundwater Encountered (1)										
<del>                                    </del>	Pumr	test data: Well war	ter was	ft.	after	hours	Dump	ing		gpm	
NW N	EST. YIELD	gpm. Well wat	er was	ft.	after	hour	s pump	ing			
w	E Bore Hole Diam	neter 8.25 in. to									
	`     ¬ ¬	R TO BE USED AS:	☐ Public wat Oil field wate	er supply	/ ∐ Ge	othermal		jection w ther (Spe		low)	
8w s	E Irrigation										
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well											
S I mile		/day/yr sample was st									
		nfected?  Yes									
	ASING USED: Stee				••••••	••••					
CASING JOIN	TS: Glued Clar ter .2in. to .12	mpea   welded	Inreaded in	1 to	# D	ismeter		in to		A	
Casing diame	above land surface. 0	in Weigh	ht	lbs./ft.	Wall thic	kness or ga	age No	sch 4	0		
	EEN OR PERFORATION	MATERIAL:				_					
Steel	Stainless Steel	PVC	hala)	Other (S	pecify)	•••••••		••••••			
Brass SCREEN OR P	Galvanized Steel ERFORATION OPENING		noie)								
☐ Continu	ous slot  Mill slot	☐ Gauze wrapped	Torch cut	Drill	led holes	☐ None (op	en hole	)			
	d shutter Key punched									_	
SCREEN-PERI	FORATED INTERVALS:	From									
GRAV	EL PACK INTERVALS:		. ft. to 22								
		From	. ft. to		ft., From		ft. to	<b></b>		ft.	
	TERIAL: Neat ceme	ent Cement grou	ut 🛭 Bentor	nite 🔲	Other						
Grout Intervals:	From .0	)!Y It., From	<b>m</b>	It. to	ft.,	From	• • • • • • • • •	ft. to	••••••	ft.	
Septic ta		nes Pit privy	Livestock p	nens [	Insecticide	storage [	Othe	r (specify	below)		
Sewer li	nes Cesspool	Abandoned water well									
	tht sewer lines		Fertilizer st		☐ Oil well/ga il			•••••	•••••	••••	
FROM TO	LITHOLOG		FROM	TO TO		OG (cont.) o			NTERV	ALS	
0 6	Silty clay, brown, soft		1			J ( ( ( ) ) )		301101		71110	
6 10	Silty clay, light brown, s	stiff									
10 12	Clayey sand, yellow brown, wet					· · · · · · · · · · · · · · · · · · ·					
12 22	Sand, wet		_								
					·····						
								·	<del></del>		
	<u></u>										
	OR'S OR LANDOWNER										

http://www.kdheks.gov/waterwell/index.html. Check: White Copy, Blue Copy, Pink Copy