WATER WE	LL RECORD	Form W	WC-5	Division of Water Resources App. No.	
1 LOCATION	OF WATER WELL:	Fraction		Section Number Township No. Range Number	
County: Edv	wards	1/4 NW 1/4 NV	V 1/4 SW 1/		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:					
from nearest town or intersection: If at owner's address, check here . Latitude:					
4 1/2 North of Kinsley			Longitude: (in decimal degrees)		
	·			Elevation:	
2 WATER W	ELL OWNER: CMX in	•		Datum: WGS 84, NAD 83, NAD 27	
RR#, Street Address, Box #: 1700 N Waterfront Pkwv.Bldg 300B				Collection Method: GPS unit (Make/Model:)	
City, State, ZIP Code : Wichita, KS 67206			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
	Wichita	NS 07200		Est. Accuracy:	
3 LOCATE WELL					
WITH AN "X	"IN 4 DEPTH OF	COMPLETED WEL	T 160	ft.	
SECTION BO	Depth(s) Groundwater Encountered (1)				
1.4	WELL'S STATIC WATER LEVEL. 34				
	Pump test data: Well water was ft. after hours pumping gpm EST. YIELD. N/A gpm. Well water was ft. after hours pumping gpm				
W NW - - NE - EST. YIELD JWAgpm. Well water was					
W	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well				
-SW - -SE - Domestic Feedlot V Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well					
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No					
S If yes, mo/day/yr sample was submitted					
1 mile Water well disinfected? ✓ Yes □ No					
5 TYPE OF CASING USED: ☐ Steel V PVC ☐ Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .5					
Casing height above land surface. 18 in., Weight SDR 26 lbs./ft., Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 160 ft. to 140 ft., From ft. to ft.					
From 120 ft. to 100 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 160 ft. to 20 ft., From ft. to ft.					
From ft to ff From ft to ft					
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout					
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other Grout Intervals: From ft. to ft., From 20 ft., From ft. to ft.					
What is the near	est source of possible conta	ımination:			
Septic ta		es Pit privy	Livestock		
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None					
	m well		Dietano	storage Oil well/gas well None e from well	
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 4	Top soil		1 10 111	LITTIO. EGG (COIR.) OF I EGGGING INTERVALS	
4 96	Tan clay				
96 114	Ironated gravel & broke	n rock with	T		
	some clay mixed in/ sh				
	streaks				
114 119	Dark gray shale	The second secon			
119 158	Sandstone				
158 160	Gray shale				
	And the second s				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) 3-11-14 and this record is true to the best of my knowledge and belief					
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 3-12-14					
under the business name of Rosencrantz-Bemis Ent Inc by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212 Check: White Copy, Delue Copy, Pink Copy					