mw-102 Division of Water Resources App. No. Form WWC-5 WATER WELL RECORD Section Number Range Number Township No. 1 LOCATION OF WATER WELL: Fraction R 19 14 SE 14 NW 14 SW 14 33 T 24 S County: Edwards Global Positioning System (GPS) information: Street/Rural Address of Well Location; if unknown, distance & direction Latitude: .37deq 55'.24.00°N (in decimal degrees)
Longitude: 99deq 24'.46.08°W (in decimal degrees) from nearest town or intersection: If at owner's address, check here 200 ft. south of intersection of W. 6th Street & US Hwy 56 Datum: WGS 84. NAD 83. NAD 27 Collection Method: WATER WELL OWNER: **ADM Grain** GPS unit (Make/Model:) RR#, Street Address, Box #: 402 US Hwy 56 Digital Map/Photo, Topographic Map, Land Survey City, State, ZIP Code Kinslev. KS. Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m 3 LOCATE WELL 4 DEPTH OF COMPLETED WELL 22 ft. WITH AN "X" IN Depth(s) Groundwater Encountered (1)...... ft. (2)...... ft. (3)..... ft. SECTION BOX: WELL'S STATIC WATER LEVEL 11.5 ... ft. below land surface measured on mo/day/yr.... Pump test data: Well water was......ft. after...... hours pumping...... gpm EST. YIELD......gpm. Well water was.......ft. after....... hours pumping..........gpm -- NE -- NW - -WELL WATER TO BE USED AS:
Public water supply Geothermal Injection well Dewatering ☐ Other (Specify below) ☐ Oil field water supply ☐ Feedlot □ Domestic ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well -- SE --☐ Irrigation Was a chemical/bacteriological sample submitted to Department?

Yes
No If yes, mo/day/yr sample was submitted..... S -1 mile------Water well disinfected?
Yes
No Other PVC 5 TYPE OF CASING USED: Steel CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .2 in. to .12 ft., Diameter in. to ft., Diameter ft., Diameter ft. Casing height above land surface. 0 in., Weightlbs./ft., Wall thickness or gauge No. sch 40 TYPE OF SCREEN OR PERFORATION MATERIAL: Other (Specify) ☐ Stainless Steel ☐ Galvanized Steel Steel None used (open hole) Brass SCREEN OR PERFORATION OPENINGS ARE: ☐ Drilled holes None (open hole) ☐ Gauze wrapped ☐ Torch cut Other (specify) SCREEN-PERFORATED INTERVALS: From 12 ft. to .22 ft., From ... ft. to ... ft. GRAVEL PACK INTERVALS: From ... 10 ft. to ... 22 ft., From ... ft. to ... ft. From....... ft. to ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other...

Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Insecticide storage ☐ Abandoned water well Other (specify below) ☐ Septic tank☐ Sewer lines ☐ Lateral lines ☐ Pit privy Sewer lines Cesspool ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard Distance from well Direction from well LITHO. LOG (cont.) or PLUGGING INTERVALS FROM LITHOLOGIC LOG FROM TO Silty clay, brown, soft 6 0 Silty clay, light brown, stiff 10 6 Clayey sand, yellow brown, wet 12 10 22 12 Sand, wet 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{\omega} \) constructed, \(\sqrt{\omega} \) reconstructed, or \(\sqrt{\omega} \) plugged under my jurisdiction and was completed on (mo/day/year) .12-17-12...... and this record is true to the best of my knowledge and belief. (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.

http://www.kdheks.gov/waterwell/index.html Check: White Copy, Blue Copy, Pink Copy KSA 82a-1212

Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed, well. Vi sit us at