		LL RECORD	Form W	/WC-5	Division o	f Water I	Resources A	.pp. No	,		
		OF WATER WELL:	Fraction	A A. 11 A	Section Num		Township 1		Range N		
	County: Edwards \(\frac{1}{4} \text{ NW } \text{ NW }										
from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:38,00016						
5 North, 2 West of Kinsley					Longitude: 099.45926 (in decimal degrees)						
,						Elevation:					
2 WATER WELL OWNER: St. Peter & Paul Church						Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:					
RR#, Street Address, Box #: 730 F Road						☐ GPS unit (Make/Model:)					
City	ZIP Code : Kinsley,	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey									
3 LOCATE WELL						: [] <3	m, 🔲 3-5 n	n, 🔲	5-15 m, [] >15 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 135											
SECTION BOX: Denth(s) Groundwater Encountered (1) ft (2) ft (3)									ft.		
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr. 4-14-15									4-15		
Pump test data: Well water wasft. after hours pumping								gpm			
w N	EST. YIELD. N/Agpm. Well water was								gpm		
" 	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									ell	
SV	SW. SF. Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
	Irrigation Industrial Domestic-lawn & garden Monitoring well										
	Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted										
1 mile Water well disinfected?											
5 TYPE OF CASING USED: Steel PVC Other											
CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter 5 in. to											
Casing height above land surface18											
☐ Steel ☐ Stainless Steel											
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)											
□ Louvered shutter □ Key punched □ Wire wrapped ▼ Saw cut □ Other (specify)											
SCREEN-PERFORATED INTERVALS: From 135 ft. to 115 ft., From ft. to ft.											
From											
From									II.		
6 GRO	UT MA	TERIAL: Neat ceme	nt	t 🔽 Benton	ite						
Grout In	itervals:	From ft. to	ft., From	1 . <u>20</u> 1	t. to .0	ft., F	rom		ft. to	ft.	
What is the nearest source of possible contamination:											
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel store											
	Watertig	ht sewer lines	orage Oil well/gas well Church								
		n well North	rom well60f								
FROM 0	TO 3	LITHOLOGI	C LOG	FROM	TO LITH	O. LOG	(cont.) <u>or</u>	PLUC	<u> 3GING II</u>	NTERVALS	
3	45	Top soil Tan clay									
45	79	Mealy clay & broken roo									
79	109	Yellow clay							-		
109	115	Dakota drift									
115 130	130	Sandstone									
130	135	Gray shale									

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged											
under my jurisdiction and was completed on (mo/day/year) 4-14-15 and this record is true to the best of my knowledge and belief											
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 4-16-15 under the business name of Rosencrantz- Bemis Ent inc											
INSTRUC	LIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRMLY	and <i>PRINT</i> cle	arly Please fill in I	hlanks and	d check the co	rrect ar	Surere Car	nd one conv to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St. Suite 420. Topeka, Kansas 66612-1367											
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html											