1 LOCATION OF WATER WELL:			FRACTION	W	ter Well Recor	d Form WWC-	Section Number	Township Number	Range Number
Harvey			SW	1/4 SW	1/4	NE 1/4	2	1 6	214
Distance						ME 2/4		T 24 s	I R ZM E/W
Distance and direction frem nearest town or city street address of well if located within city?									
1200 Chestnut Halstead, Kansas									
WATER WELL OWNER: BISHARD, Tom Board of Agriculture, Divivation of Water Resource									
1200 Cheschuc									
CITY, STATE, ZIP CODE: Halstead, Kansas Application Number:									
	TE WELL'S I " IN SECTIO	OCATION WITH		COMPLETE		80		EVATION:	
	II. SECTIO	N		ındwater Enc		1	ft.	2 ft.	3 ft.
		WI		IC WATER L			. BELOW LAND SUI	RFACE MEASURED ON mo/day/yr	10/25/1996
1	NW	NE	Pum	p test data:	Well	water was	ft.	after hours pun	iping gpm
١	1 :	Est.	. Yield	gpm:	Well	water was	ft.	after hours pun	ıping gpm
§ w	/	E Bor	e Hole Diamo	eter 12	in.	to 80	ft.	and in.	to ft.
=			LL WATER	TO BE USED	AS:	5 Public water		•	injection well
1	sw	se	1 Domestic	3 Feed		6 Oil field wa		9 Dewatering 12 0	Other (Specify below)
11			2 Irrigation	4 Indu	strial	7 Lawn and	garden only 1	10 Monitoring well	
	Was a chemical/bacteriological sample submitted to Department? Yes No ✗; If yes, mo/day/yr sample was								10/day/yr sample was
S submitted Water Well Disinfected? Yes X No									
5 TY	PE OF CA	SING USED:		5 Wro	ought iron	8	3 Concrete tile	CASING JOINTS: 0	Glued X Clamped
1 Stee	el	3 RMP (SR)		6 Asbe	stos-Ceme	ent 9	Other (Specify b	elow) V	Velded
2 PVC	C	4 ABS		7 Fibe	rglass	S	DR-26	7	Threaded
	asing Diam	eter 5 in.	to 60	ft.,	Dia	in.		ft., Dia in.	to ft.
l .	_	ve land surface 12		in.,	weight 2			Wall thickness or gauge No.	.214
	-	N OR PERFORATIO	N MATERIA	•	weight 2		7 PVC	10 Asbestos-cem	
1 Ste		3 Stainless Steel		5 Fiber	glass		RMP (SR)	11 other (specify	y)
2 Bra		4 Galvanized steel		6 Conc	rete tile	9	9 ABS	12 None used (o	pen hole)
	-	REPORATION OPENIA	NC ADE.		5 Can	zed wrapped		8 Saw cut	11 None (open hole)
	nous slot	3 Mill slot	TO AICE.			e wrapped		9 Drilled holes	
	ered shutte		ad					10 Other (specify)	
1			_		7 Torc				
SCREE	N-PERFO	RATION INTERVAL		60	ft	. to 80	ft., From	ft. to	ft.
1			from		_	. to	ft., From		ft.
	GRAV	EL PACK INTERVAL		24		t. to 80	ft., Fron		ft.
-		4 N 4	from			. to	ft., Fron		
U okovi karizkaza						entonite	4 Other bentonite	e hole plug	
ı			to 24	ft.	From	ft.	to 10 Livesto	ft. From	ft. to ft.
What is the nearest source of possible contamination:			7	7 Did mulery				Abandon water well	
1 Septic tank 4 Lateral lines				7 Pit privy 8 Sewage lagoon		11 Fuel st	13	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool					oon	12 Fertilizer storage 13 Insecticide storage		Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feed								None	Apparent
	n from we							How many feet?	
FROM			HOLOGIC I	.OG		FROM	ТО	PLUGGING INTE	RVALS
0	4	topsoil							
4	10	fine sand							
10	25	clay							
25	30	fine sand							
30	35	clay							
35	80	medium fir	ne sand						
	<u></u>							44	
	<u> </u>								
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No236									
Under the business name of Harp Well & Pump Service, Inc. by (signature)									
								Todd I	S. Harp
