			WATI	ER WELL RECORD	Form WWC-	5 KSA 82a			
	,	TER WELL:	Fraction			ction Number	Township Number	, , , , , , , , , , , , , , , , , , ,	
County:	Haru	ey	1 SE 1		E 1/4	8	T 24 S	R 2 EW	
Distance a				address of well if located					
_		2 mill	114.5	of Halstean	1 - 5	5175	Springlake		
_	R WELL OW		dall Ko				•		
RR#, St. Address, Box # : /3/3/ W /5							Board of Agriculture, Division of Water Resources		
	, ZIP Code			5 67056	Application Number:				
LOCATE	E WELL'S L IN SECTION	OCATION WITH	DEPTH OF	COMPLETED WELL	. /9 . 🙉	ft. ELEVA	TION:		
VIA V	IN SECTION	<u> </u>						ft. 3	
ī	•	!						ay/yr . 15-0/	
	- NW	- NE	Pun	np test data: Well water	rwas	₹.4 ft. a	ifter hour	rs pumping2.5 gpm	
	1		Est. Yield	gpm: Well water	was	ft. a	fter hour	rs pumping gpm	
ا ير ف	i		Bore Hole Diam	neter \dots 8 \dots in to \dots	1.9.	<i>O</i> ft.,	and	in. toft.	
iš w -	!		WELL WATER	TO BE USED AS:	5 Public wat	er supply	8 Air conditioning	g 11 Injection well	
7	SW/	SE X	Opomestic	3 Feedlot	6 Oil field wa	ater supply	9 Dewatering	12 Other (Specify below)	
	1	%	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well,		
1 L	i	'	Was a chemical	l/bacteriological sample s	ubmitted to D	epartment? Y	esli	f yes, mo/day/yr sample was sub	
<u> </u>			mitted			Wa	ter Well Disinfected? Ye	es K No	
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOINTS:	Glued . K Clamped	
1 Ste	el	3 RMP (SR	1)	6 Asbestos-Cement	9 Other	(specify below	v) '	Welded	
Ø P∨	'C	4 ABS		7 Fiberglass				Threaded	
Blank casi	ng diameter		in. to /.8.	ර ft., Dia	in. to	.	ft., Dia	in. to ft.	
Casing hei	ight above la	and surface/	່ລ	in., weight	29	Ibs./	ft. Wall thickness or gau	ge No <i>l.6 .0</i>	
		R PERFORATION			O *\		10 Asbestos-		
1 Ste	eel	3 Stainless	steel	5 Fiberglass	8 RM	MP (SR)	11 Other (spe	ecify)	
2 Brass 4 Galvanized steel				6 Concrete tile	oncrete tile 9 ABS			d (open hole)	
SCREEN (OR PERFO	RATION OPENING	SS ARE:	5 Gauze	d wrapped		8 aw cut	11 None (open hole)	
1 Co	ntinuous slo	t 3 Mil	l slot	6 Wire v	vrapped		9 Drilled holes		
2 Lo	uvered shut	ter 4 Ke	y punched	7 Torch	cut		10 Other (specify)		
SCREEN-	PERFORATI	ED INTERVALS:	From					ft. to	
			From					ft. toft.	
0	BRAVEL PA	CK INTERVALS:		_		ft., Fro	m	ft. toft.	
			From	, ~	190	ft., Fro	m	ft. to ft.	
_	MATERIAL	_		2 Cement grout	⊋ ∂Bento				
Grout Inter				ft., From 🕰	F ft.			ft. toft.	
_		ource of possible of	-				•	14 Abandoned water well	
1 Septic tank 4 Lateral I				7 Pit privy		11 Fuel		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
	-	er lines 6 Seepa	ige pit	9 Feedyard		13 Insec	ticide storage		
Direction f			LITUO: COLO		T 500M	How ma	ny feet? /oo	NG INTERVALS	
FROM	TO	9 61	LITHOLOGIC	LOG	FROM	ТО	PLUGGII	NG INTERVALS	
	15	Br Clay				·			
15	18	F San							
18	53	Br 4 UV	clay			ļ			
53	68	Found	4 31/7	- Saud + Smy G	ra vel	 			
68	89	F Sand				 			
89	190	M-C.	Saud		+				
		-,c							
						+			
						 			
			· 		 	 			
				· · · · · · · · · · · · · · · · · · ·		 			
					+	-			
					1	 			
					1				
1						i l			
								d under my jurisdiction and was	
								ny knowledge and belief. Kansas	
				This Water We	ell Record wa		(16-01	
	business na		iller D			by (signa		<u></u>	
							the correct answers. Send top WNER and retain one for your re	three copies to Kansas Department ecords.	