

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Harvey</u>		<u>SW 1/4 SW 1/4 NE 1/4</u>	<u>2</u>	T <u>24</u> S	R <u>2</u> EW
Distance and direction from nearest town or city street address of well if located within city? <u>1303 Red Bad Court</u>					
2 WATER WELL OWNER: <u>Ryan Reiff</u>					
RR#, St. Address, Box # : <u>1303 Red Bad Court</u>				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code : <u>Halstead, KS 67056</u>				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>56</u> ft. ELEVATION: <u>20</u> ft.			
		Depth(s) Groundwater Encountered <u>18</u> ft. 2 <u>20</u> ft. 3 <u>9-9-04</u> ft.			
		WELL'S STATIC WATER LEVEL <u>18</u> ft. below land surface measured on mo/day/yr <u>9-9-04</u>			
		Pump test data: Well water was <u>30</u> gpm: Well water was <u>30</u> gpm: hours pumping <u>9-9-04</u> gpm			
		Est. Yield <u>30</u> gpm: Well water was <u>30</u> gpm: hours pumping <u>9-9-04</u> gpm			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial <u>7</u> Domestic (lawn & garden) 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <u>X</u> No					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
			7 Fiberglass		Threaded
Blank casing diameter <u>5</u> in. to <u>36</u> ft., Dia <u>5</u> in. to <u>5</u> ft., Dia <u>5</u> in. to <u>5</u> ft.					
Casing height above land surface <u>12</u> in., weight <u>5</u> lbs./ft. Wall thickness or gauge No. <u>160</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless Steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-Cement
2 Brass		4 Galvanized Steel	6 Concrete tile	9 ABS	11 Other (Specify)
					12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		2 Mill slot	3 Guazed wrapped	4 Wire wrapped	5 Saw cut
2 Louvered shutter		4 Key punched	7 Torch cut	8 Drilled holes	9 None (open hole)
SCREEN-PERFORATED INTERVALS: From <u>36</u> ft. to <u>56</u> ft., From <u>36</u> ft. to <u>56</u> ft., From <u>36</u> ft. to <u>56</u> ft.					
GRAVEL PACK INTERVALS: From <u>20</u> ft. to <u>56</u> ft., From <u>20</u> ft. to <u>56</u> ft., From <u>20</u> ft. to <u>56</u> ft.					
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout	3 Bentonite	4 Other	
Grout Intervals: From <u>3</u> ft. to <u>20</u> ft., From <u>3</u> ft. to <u>20</u> ft., From <u>3</u> ft. to <u>20</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>NE</u>		How many feet? <u>50</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Topsoil			
3	20	clay			
20	30	Fine Sand			
30	35	Fine to medium sand			
35	49	Medium sand to Fine gravel			
49	57	clay			
57	56	Medium sand to Fine gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-8-04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 238 This Water Well Record was completed on (mo/day/yr) 9-9-04 under the business name of Wenzyer Irrigation by (signature) Curtis J. Wenzyer