CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

11

	County: Harvey
Location listed as:	Location changed to :
Section-Township-Range:	25-245-2W
Fraction (1/4 1/4 1/4):	SW SW NW
Other changes: Initial statements: Sedgwick County	
Changed to: Harvey County	
Comments:	
verification method: Written & legal descriptions, area road map on internet,	
and Sedgwick 1:24,000 topo map (buildings shown on map).	
and sengwick 1:24,000 topo. m	
	initials: Del date: 11/9/2004

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sedgwick SW \mathbf{SW} NW25 24 2WE/W 1/4 1/4 1/4 Т S Distance and direction from nearest town or city street address of well if located within city? 9012 S. Hertzler Road Halstead, Kansas BENDER, Dale WATER WELL OWNER: Board of Agriculture, Division of Water Resource 9012 S. Hertzler Road RR#,ST. ADDRESS,BOX #: Halstead, Kansas CITY, STATE: ZIP CODE: Application Number: 4 DEPTH OF COMPLETED WELL: 85 ft. **ELEVATION:** LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: ft. Depth of groundwater Encountered: ft ft. WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Pump test data: Well water was ft. after hours of pumping @ gpm -NW NE Est. Yield: ft. after hours of pumping @ gpm gpm Well water was ≝ 12 to 85 and Bore Hole Diameter WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE 3. Feedlot 1. Domestic 12. Other (Specify below) 10. Monitoring well 6. Oil field water supply 8. Air conditioning 2. Irrigation 4. Industrial ; If yes, what mo/day/yr was sample (NO) Was a chemical/bacteriological sample submitted to Department? (YES) NO Was Water Well Disinfected? TYPE OF CASING USED: CASING JOINTS: Glued Threaded 9. Other (Specify below) 7. Fiberglass 5. Wrought Iron 3. RPM (SR) Steel Welded Clamped SDR-26 6. Asbestos-Cement 8. Concrete tile 4. ABS 2. PVC 5 65 Dia. ft.. Dia ft. Blank casing diameter in to ft.. in to in. to Casing height above land surface: 16 Weight: 2.35 lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 9. ABS 11. Other (specify) 3. Stainless Steel 5. Fiberglass 1. Steel 8. RMP (SR) 12. None used (open hole) 2. Brass 6. Concrete Tile 10. Asbestos-Cement Galvanized SCREEN OR PERFORATION OPENINGS ARE: 9. Drilled holes 11. None (open hole) 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 8. Saw cut 10. Other (specify) 2. Louvered shutter 6. Wire wrapped 4. Key punched SCREEN - PERFORATION INTERVAL 65 From From to ft.. ft. ft. to to From From ft. ft.. ft ft. to 24 85 GRAVEL PACK INTERVALS: From to ft., From ft. ft. to ft. From to ft From ft. ft. **GROUT MATERIALS:** Other bentonite hole plug 2. Cement Grout 3. Bentonite 1 Neat cement 4 Grout Intervals: ft. 24 From ft. From ft. From ft. What is the nearest source of possible contamination: 10. Livestock pens 15. Oil well/Gas well 7. Pit privy 13. Insecticide storage 1. Septic tank 4. Lateral lines 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 14. Abandon water well 5. Cess Pool 2. Sewer lines None Apparent 12. Fertilizer storage 9. Feed yard 3. Watertight sewer line 6. Seepage pit How many feet? Direction from well? Τo LITHOLOGIC LOG LITHOLOGIC LOG From From Tο 0 4 topsoil 4 23 clay 23 83 sand 83 85 cłav RECEIVED OCT 1 9 2004 **BUREAU OF WATER** under my jurisdiction and Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged 9/28/2004 and this record is true to the best of my knowledge and belief. was completed on (mo/day/year) 236 This water well record was completed on (mo/day/year) 9/29/2004 Kansas Water Well Contractor's License No. under the business name of Harp Well & Pump Service Inc. by (signature) Jodd S. Harn