		WA	TER WELL REC	ORD Form WWC-5	KSA 82a-	1212 ID No	0.				
		TER WELL:	Fraction		Sec	tion Number		nship Number	R	ange Num	ber
	Har		$SW_{14}$	ne 4 SW		26	Т_	245 s	R	210	E/W
Distance at	nd direction	·T	wn or city street a	address of well if located v	vithin city?						
	R WELL OW	4 4	ma We	ir							
	dåress, Box	CIL	Cedar	br.			Bos	ard of Agriculture	Division o	f Water Re	ecurces
City, State,		Hal	stead.	KS			Apı	olication Number	:		
LOCATE	WELL'S LO	OCATION WITH	4 DEPTH OF C	OMPLETED WELL	15	ft. ELEVA	ΓΙΟΝ:				
	N SECTION		Depth(s) Groun	dwater Encountered 2	31	ft.	2	ft	3		ft.
	N_	ı	WELL'S STATIO	O WATER LEVEL	ft. belo	w land surface	e measure	ed on mo/day/yr	numnina		anm
	1	1	Est. Yield	gpm: Well water	was	ft. a	ifter	hours	pumping .	·····	gpm
-	-NW -	- NE	WELL WATER	TO BE USED AS: 5 P	ublic water s	supply	8 Air con	ditioning 11	Injection v	vell	-
w_	ı	!E	<ol> <li>Domestic</li> <li>Irrigation</li> </ol>		il field water omestic (lav		9 Dewate 10 Monito	ering 12 ring well	Other (Sp		
"			ga			, <u> </u>					
	-sw -	- SE	Was a chemica	l/bacteriological sample s	ubmitted to I	Department? Y	′es N	lo. 🗶: If ves	mo/dav/vr	s sample v	vas sub-
	1	1	mitted	<b>,</b>				isinfected? Yes		No	
L		<u>'</u>									
TYPE (	OF BLANK	CASING USED:		5 Wrought iron	8 Concre			ING JOINTS: GI	ued .k	Clamped	
1 Stoc		3 RMP (SI 4 ABS	R)	6 Asbestos-Cement 7 Fiberglass		specify below)			elded readed		
			in to			in to					
Casing hei	ght above la	and surface	16	in., weight	160			II thickness or gu			
_	_	R PERFORATIO	•	, <b>.</b>	PV			10 Asbestos-C	_		
1 Stee		3 Stainless		5 Fiberglass		(SR)		11 Other (Spec	• /		
2 Bras		4 Galvaniz		6 Concrete tile	9 AB	5		12 None used	. ,		
	OR PERFOR	RATION OPENIN	NGS ARE:	5 Guaze 6 Wire v	d wrapped		8 Saw 6		11 Nor	ne (open h	ole)
	red shutte		ey punched	7 Torch	• •			(specify)			ft.
SCREEN-F	PERFORAT	ED INTERVALS:	From	65ft. to	<i>7</i> 5	ft., From		ft.	to		ft.
	DAVEL DA	OK INTERVALO	From	24 ft. to ft. to	75	ft., From		ft.	to		ft.
(	SHAVEL PA	CK INTERVALS	From	π. το ft. to	/	ft., From		π. ft.	to to		ft.
						_					
_	T MATERIA		t cement	2 Cement grout	3 Bent						
Grout Inter		urce of possible		7 ft., From	It. T				ft. to Abandone		
	-	4 Later		7 Pit privy		10 Livesto					ен
2 Sewer lines 5 Cess pool				8 Sewage la	agoon	11 Fuel storage 12 Fertilizer storage			15 Oil well/Gas well 16 Other (specify below)		
3 Wat	ertight sewe	er lines 6 Seep	age pit	9 Feedyard		13 Insecti					
Direction fr	om well?	South				How many	y feet?	<i>5</i> 0			
FROM	TO	<b>L</b>	LITHOLOGIC	LOG	FROM	то		PLUGGING	INTERVAL	S	
0	19	TOPSOI	<u> </u>								
2	20	May	rad Av	· · · · · · · · · · · · · · · · · · ·							
19773	20	med	una-cic	Ψ						•	
24	43	Clay	ou a								
43	15	med 5	and								
										,	
CONTRA	ACTOR'S C	R LANDOWNF	R'S CERTIFICAT	TON: This water well wa	s (1) constru	cted (2) reco	nstructed	or (3) plugged u	nder mv in	risdiction	and was
completed o	n (mo/day/y	rear)	2.00			and this red	ord is true	to the best of my	knowledge		
Vater Well	Contractor's	Licence No		This Water \		was completed	d on (mo/d				
inder the bu	usiness nam	ne of Una	ise Di	lling		by (s	signature)	P.Chas			
				RMLY and PRINT clearly. Please in St., Saite 420, Topeka, Kansas							
and Enviror							, Jenu Unit	W TICHED WELL UV	Li i and rela		