	VATER WELL:	Fraction	rati		Section Number	Township Nur		1	ge Number	
ounty: EDWA		NW 1		NW 1/4	5	т 24	S] R	20 չ	5/W
_		-	address of well if locate	a within city	7					
	s North of (Mr. Mark								
WATER WELL (Drake					.		
R#, St. Address,		Rt. #2	V 60540			Board of Ag				our
ity, State, ZIP Co			Kansas 67547	90		Application 1				
AN "X" IN SECT	S LOCATION WITH TION BOX:		COMPLETED WELL							
(Y .	N		dwater Encountered 1							
			C WATER LEVEL 44							
NW -	NE		np test data: Well wate							
!	1 1	Est. Yield . AY	gpm: Well wate	erwas	ft. af	ter	hours pu	mping		gp
w 	- E		neter9 . 7/8in. to							1
		1 .	TO BE USED AS:			B Air conditioning		Injection w		
SW _	SE	XX Domestic				9 Dewatering			cify below;	
1 1	!!!	2 Irrigation				0 Observation well				
		I .	/bacteriological sample s	submitted to					-	IS SI
TYPE OF BLAN	K CASING USED:	mitted	E Manualtina	0.0		er Well Disinfected			0	
TYPE OF BLANI 1 Steel	R CASING USED: 3 RMP (S	(R)	5 Wrought iron 6 Asbestos-Cement		crete tile or (specify bolow	CASING JOIN			•	
XX PVC	4 ABS	71 1)	7 Fiberglass		er (specify below) 				
	· · ·	in to A	Q ft., Dia							
arik casing diame	a land surface	24	in., weight 2.		lo	II., DIB	anuan N	in. to		1
	OR PERFORATIO		III., Weigitt 240			. wall trickness or 10 Asbes		-		• • •
1 Steel	3 Stainles		5 Fiberglass		RMP (SR)					
2 Brass	4 Galvania		-		NBS	12 None			• • • • • • • •	
	ORATION OPENIN			_		Saw cut	• •	•	(open hole	
1 Continuous		fill slot		wrapped	_	9 Drilled holes		11 NOILE	(open noie	"
2 Louvered sh	· ·	(ey punched	7 Torch	• •		10 Other (specify)				
CREEN-PERFOR/						TO CHIEF ISDECTIVE				
		From 40	ft to		ft Erom	,	f4 4.	_		
	ATED INTERVALS:		ft. to	80	ft., From	ı . <i></i>	ft. t	0		f
	-	From	ft. to	80	ft., From	1	ft. to	o o		f
	PACK INTERVALS:	From 10	ft. to) ft. to	80	ft., From ft., From ft., From	1 1	ft. to	0 0 0		f f f
GRAVEL I	PACK INTERVALS:	From		80	ft., From ft., From ft., From ft., From	1	ft. to ft. to ft. to ft. to	o o o		f f f
GRAVEL I	PACK INTERVALS:	From 10 From cement	ft. to ft. to ft. to ft. to 2 Cement grout	80 80	ft., From ft., From ft., From ft., From ft., From	1	ft. to ft. to ft. to ft. to	0 0 0		f f f
GRAVEL I	PACK INTERVALS:	From10 From cement ft to10	ft. to ft. to ft. to ft. to 2 Cement grout ft., From	80 80	ft., From ft., From ft., From ft., From ft., From ft., From tonite 4 (1	ft. to	o		f f f
GRAVEL I GROUT MATER rout Intervals: F //hat is the nearest	PACK INTERVALS: IAL: XX Neat from	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE	80 80 	ft., From ft., From ft., From ft., From ft., From tonite 4 (Other	ft. to ft. to ft. to ft. to	ooooooooo	water well	f f f
GRAVEL I	PACK INTERVALS: IAL: XX Neat fromO source of possible 4 Later	From10 From cement .ft. to10 contamination:	ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy	80 80 3 Ber ft.	ft., From ft., From ft., From ft., From ft., From ft., From ft., Even to. 10 Liveste 11 Fuel s	Dther	ft. to	oo.	water well	f f f
GRAVEL I GROUT MATER rout Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS: IAL: XX Neat From	From	ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago	80 80 3 Ber ft.	ft., From ft., From ft., From ft., From ft., From ft., From ft., Eron ft., From ft., F	Dther	ft. to	ooooooooo	water well	f f f
GRAVEL I GROUT MATER rout Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s	PACK INTERVALS: IAL: XX Neat stromO source of possible 4 Later 5 Cess ewer lines 6 Seep	From	ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy	80 80 3 Ber ft.	ft., From ft., F	other	ft. to	oo.	water well	f f f
GRAVEL I GROUT MATER rout Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well?	PACK INTERVALS: IAL: XX Neat stromO source of possible 4 Later 5 Cess ewer lines 6 Seep	From	ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	80 80 3 Ber ft.	ft., From ft., From ft., From ft., From ft., From ft., From ft., Eron ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER rout Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well?	PACK INTERVALS: IAL: XX Neat stromO source of possible 4 Later 5 Cess ewer lines 6 Seep	From10 From10 cement	ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to ft. to ft. to ft. to ft. to 14 Al 15 O	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well?	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Latel 5 Cess ewer lines 6 Seep	From	ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to ft. to ft. to ft. to ft. to 14 Al 15 O	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to ft. to ft. to ft. to ft. to 14 Al 15 O	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to ft. to ft. to ft. to ft. to 14 Al 15 O	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to ft. to ft. to ft. to ft. to 14 Al 15 O	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER rout Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER rout Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 40	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard	3 Ber ft.	ft., From ft., F	other	ft. to	oo. oo. o	water well	f f f
GRAVEL I GROUT MATER out Intervals: F hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? FROM TO 0 40 40 45 45 80	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi Clay, Roc	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard LOG	80	ft., From ft., F	Dother	ft. to f	oo ft. too bandoned sil well/Gas ther (speci	water well well fy below)	
GRAVEL I GROUT MATER out Intervals: Finat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 0 40 40 45 45 80 CONTRACTOR'S	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi Clay, Roc	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard LOG K Shale	3 Ber ft.	it., From it., From it., From it., From itonite 4 (ito	other	tt. tr. ft. tr	or my juris	water well well fy below)	
GRAVEL I GROUT MATER out Intervals: Finat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s rection from well? ROM TO 0 40 40 45 45 80 CONTRACTOR'S impleted on (mo/di	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Later 5 Cess ewer lines 6 Seep Clay Clay & Fi Clay, Roc	From	ft. to ft.	80	it., From it., F	other ft., From ock pens torage er storage cide storage y feet? Li distructed, or (3) pki	14 All 15 O 16 O	or my juris	diction and	
GRAVEL I GROUT MATER out Intervals: Fenat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight section from well? FROM TO 0 40 45 45 80 CONTRACTOR'S impleted on (mo/duter Well Contract	PACK INTERVALS: IAL: XX Neat FromO source of possible 4 Latel 5 Cess ewer lines 6 Seep Clay Clay & Fi Clay Roc S OR LANDOWNEI ay/year)Julor's License No	From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From NONE 7 Pit privy 8 Sewage lago 9 Feedyard LOG K Shale	BO	it., From it., F	other	14 All 15 O 16 O	or my juris	diction and	