	<u>W</u>	ATER WELL RECORD F	orm WWC-5 KSA 82a	1212	
OCATION OF WATER WEL unty: Hodgeman	L Fraction NE	_{1/4} SE _{1/4} S	Section Number 13	Township Number T 24 s	Range Number R 21W E/W
tance and direction from ne. 4 N, 发 W of Off	arest town or city?		Street address of well if	located within city?	
WATER WELL OWNER:		& Ellis Drilling,	Tnc.	, <u>, , , , , , , , , , , , , , , , , , </u>	
		Douglas, Suite 5		Board of Agriculture	Division of Water Resource
		ca, Kansas 67202		Application Number:	
		ft. Bore Hole Diameter 8.			
Il Water to be used as:	5 Public wa		8 Air conditioning		
1 Domestic 3 Feedlot		vater supply	•	12 Other (Speci	
		I garden only			•
		land surface measured on .			
mp Test Data		asft. after .			
	om: Well water wa	as ft. after		hours pumping	gpr
TYPE OF BLANK CASING		5 Wrought iron	8 Concrete tile	Casing Joints: Glue	d Clamped
1 Steel 3	RMP (SR)	6 Asbestos-Cement	9 Other (specify below	Weld	led
2 PVC 4		7 Fiberglass		r) Weld	aded
nk casing dia 5	in to112	2 ft., Dia	in. to	ft., Dia	in. to
sing height above land surfa		2 ft., Dia	. 8	ft. Wall thickness or gauge I	No. Sch. 40
PE OF SCREEN OR PERF			7 PVC	10 Asbestos-ceme	
	Stainless steel			11 Other (specify)	
2 Brass 4	Galvanized steel	6 Concrete tile		12 None used (or	
een or Perforation Openings			d wrapped	, ,	11 None (open hole)
1 Continuous slot			rapped	9 Drilled holes	,,
2 Louvered shutter	4 Key punched	7 Torch o	cut	10 Other (specify)	
	• •	ft., Dia			
en-Perforated Intervals:					
on tonoratod who vais.		ft. to			
val Back Intervals:					
			32 ff From	ft to	
ver Fack intervals.		-		ft. to .	
	From	ft. to	ft., From	ft. to	
GROUT MATERIAL:	From 1 Neat cement	ft. to 2 Cement grout	ft., From 3 Bentonite 4	ft. to	
GROUT MATERIAL: outed Intervals: From O	From 1 Neat cementft. to	ft. to 2 Cement grout 10 ft., From	3 Bentonite 4	ftto	ft. to
GROUT MATERIAL: uted Intervals: From0 at is the nearest source of	From 1 Neat cementft. to possible contamination	ft. to 2 Cement grout 10 ft., From	### ### ### ##########################	ft. to Other ft., From storage 14 A	ft. to
GROUT MATERIAL: uted Intervals: From0 at is the nearest source of a septic tank	From 1 Neat cementft. to possible contamination 4 Cess pool	ft. to 2 Cement grout 10 ft., From	ft., From 3 Bentonite 4	ft. to Other ft., From storage 14 A zer storage 15 C	ft. tobandoned water well
GROUT MATERIAL: outed Intervals: From. 0 at is the nearest source of 1 Septic tank 2 Sewer lines	From 1 Neat cementft. to possible contamination 4 Cess pool 5 Seepage pit	ft. to 2 Cement grout 10 ft., From	ft., From 3 Bentonite 4 10 Fuel son 11 Fertili 12 Insect	tt., From	tt. tobandoned water well bit well/Gas well Other (specify below)
GROUT MATERIAL: uted Intervals: From 0 at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines	From 1 Neat cementft. to possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy	ft. to 2 Cement grout 10 ft., From 7 Sewage lagoo 8 Feed yard 9 Livestock pen	ft., From 3 Bentonite 4	oft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines	ft. tobandoned water well bil well/Gas well Other (specify below)
GROUT MATERIAL: uted Intervals: FromO at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines ction from well	From 1 Neat cementft. to possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy South	ft. to 2 Cement grout 10 ft., From 7 Sewage lagoo 8 Feed yard 9 Livestock pen	ft., From 3 Bentonite 4 10 Fuel son 11 Fertili 12 Insects 13 Water	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes	ft. to
GROUT MATERIAL: uted Intervals: From. O at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines action from well	From 1 Neat cement	ft. to 2 Cement grout 10 tt., From 7 Sewage lagoo 8 Feed yard 9 Livestock pen How many feet 6	ft., From 3 Bentonite 4 ft. to 10 Fuel : 11 Fertili 12 Insects 13 Water 2 Water	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes	ft. to
GROUT MATERIAL: auted Intervals: From. O at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines action from well	From 1 Neat cement	ft. to 2 Cement grout 10 tt., From on: 7 Sewage lagoo 8 Feed yard 9 Livestock pen How many feet	ft., From 3 Bentonite 4 ft. to 10 Fuel 5 11 Fertili 12 Insect 5 13 Water 7 Water 12 Water 13 Water 14 Water 15 Wate	ft. to Other ft., From Storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes 17 Yes	ft. to bandoned water well well/Gas well other (specify below) No If yes, date sample
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines action from well s a chemical/bacteriological submitted es: Pump Manufacturer's ne	From 1 Neat cement	ft. to 2 Cement grout 10 ft., From on: 7 Sewage lagoo 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes 6	ft., From 3 Bentonite ft. to 10 Fuel and the second of	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP	ft. to
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines ection from well	From 1 Neat cement	ft. to 2 Cement grout 10 tt., From on: 7 Sewage lagoo 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Year: Pump Installer Model No. Pumps Capacity rated at	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP	ft. to
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of a septic tank 2 Sewer lines 3 Lateral lines action from well	From 1 Neat cementft. to possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy South sample submitted tomonth	ft. to 2 Cement grout 10 ft., From 7 Sewage lagod 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insection 13 Water 2 Water 2 Year: Pump Installer Model No. Pumps Capacity rated at 3 Jet 4 Centre	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes	ft. to
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines action from well. s a chemical/bacteriological submitted es: Pump Manufacturer's na th of Pump Intake e of pump: 1 CONTRACTOR'S OR LANCE	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagoo 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes 6 day ft. 2 Turbine 5 CATION: This water well wa	ft., From 3 Bentonite 4 ft. to 10 Fuel son 11 Fertili 12 Insects 13 Water 2 Water Water Wear: Pump Installer Model No. Pumps Capacity rated at 3 Jet 4 Centre s (1) constructed, (2) record	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocation onstructed, or (3) plugged un	ft. to bandoned water well if well/Gas well other (specify below) No If yes, date sample No Volts gal./min
GROUT MATERIAL: suted Intervals: From. O at is the nearest source of a Septic tank 2 Sewer lines 3 Lateral lines section from well s a chemical/bacteriological is submitted es: Pump Manufacturer's not of Pump Intake e of pump: 1 CONTRACTOR'S OR LAND	From 1 Neat cement	ft. to 2 Cement grout 10 ft., From on: 7 Sewage lagoo 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine 7 CATION: This water well ward month 9	ft., From 3 Bentonite 4 ft. to 10 Fuel so 11 Fertili 12 Insect 13 Water 2 Water 2 Year: Pump Installer Model No. Pumps Capacity rated at 3 Jet 4 Centre 15 (1) constructed, (2) reconded	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocation instructed, or (3) plugged un 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines action from well	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From on: 7 Sewage lagod 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Well	ft., From 3 Bentonite 4 ft. to 10 Fuel 11 11 Fertili 12 Insection 13 Water 13 Water 14 Water 15 Water 16 Water 17 Wear: Pump Installed Model No. Pumps Capacity rated at 18 Jet 4 Centre 18 (2) reconstructed, (2) recon	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocation instructed, or (3) plugged un 1981	ft. to bandoned water well if well/Gas well other (specify below) No If yes, date sample No Volts gal./min der my jurisdiction and wa
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines ection from well s a chemical/bacteriological is submitted es: Pump Manufacturer's na oth of Pump Intake e of pump: CONTRACTOR'S OR LAND upleted on this record is true to the best Water Well Record was considered.	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From on: 7 Sewage lagoo 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Well April mo	ft., From 3 Bentonite 4 ft. to 10 Fuel 5 11 Fertili 12 Insects 13 Water 2 Water Note 10 Pump Installer Model No. Pumps Capacity rated at 3 Jet 4 Centre is (1) constructed, (2) records day ell Contractor's License Note 10 Pumps Capacity License Note 10 Pumps Note 10 Pum	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes 1? Yes HP ifugal 5 Reciprocation onstructed, or (3) plugged un 1981 186 day 1981	ft. to bandoned water well if well/Gas well other (specify below) No If yes, date sample No Volts gal./min der my jurisdiction and wa
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines ection from well s a chemical/bacteriological is submitted es: Pump Manufacturer's na oth of Pump Intake e of pump: CONTRACTOR'S OR LAND upleted on this record is true to the best Water Well Record was considered.	From 1 Neat cement	ft. to 2 Cement grout 10 tt., From on: 7 Sewage lagood 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water Water April moservice b	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: buted Intervals: From. O. at is the nearest source of a septic tank 2 Sewer lines 3 Lateral lines ection from well a a chemical/bacteriological as submitted es: Pump Manufacturer's noth of Pump Intake e of pump: 1 CONTRACTOR'S OR LAND appleted on this record is true to the base water Well Record was come of Kellys LOCATE WELL'S LOCATIO	From 1 Neat cement	ft. to 2 Cement grout 10 ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Well April mo Service b	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to bandoned water well if well/Gas well other (specify below) No If yes, date sample No Volts gal./min der my jurisdiction and wa
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of a septic tank 2 Sewer lines 3 Lateral lines action from well	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines ction from well 5 a chemical/bacteriological submitted 9: Pump Manufacturer's not th of Pump Intake 9: of pump: CONTRACTOR'S OR LAND pleted on this record is true to the be 5 Water Well Record was one of Kellys COCATE WELL'S LOCATION BOX:	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O. ut is the nearest source of a septic tank 2 Sewer lines 3 Lateral lines ction from well a chemical/bacteriological submitted be: Pump Manufacturer's not of Pump Intake contractors: OR LAND pleted on this record is true to the bewater Well Record was come of Kellys. OCATE WELL'S LOCATION	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines ction from well	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
AROUT MATERIAL: Lited Intervals: From. O It is the nearest source of a septic tank 2 Sewer lines 3 Lateral lines ction from well a chemical/bacteriological submitted be: Pump Manufacturer's not of Pump Intake CONTRACTOR'S OR LAND pleted on this record is true to the bewater Well Record was one of Kellys OCATE WELL'S LOCATION ON.	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O it is the nearest source of a septic tank 2 Sewer lines 3 Lateral lines ction from well a chemical/bacteriological submitted be: Pump Manufacturer's not of Pump Intake cof pump: 1 CONTRACTOR'S OR LAND pleted on this record is true to the bewater Well Record was come of the complete o	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O at is the nearest source of a septic tank 2 Sewer lines 3 Lateral lines ction from well	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O at is the nearest source of a septic tank 2 Sewer lines 3 Lateral lines ction from well a chemical/bacteriological submitted be: Pump Manufacturer's not of Pump Intake contractors: Or Land pleted on this record is true to the best water Well Record was one of Kellys COATE WELL'S LOCATION BOX: A Coate Well Second Washington Source. COATE WELL'S LOCATION COATE WELL'S	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines ction from well a chemical/bacteriological submitted bes: Pump Manufacturer's not the of Pump Intake cof pump: 1 CONTRACTOR'S OR LAND pleted on this record is true to the best water Well Record was come of COATE WELL'S LOCATION COATE WELL	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines action from well	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines ction from well	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel: 11 Fertili 12 Insects 13 Water 2 Water 2 Water 4 Centre Model No. Pumps Capacity rated at 3 Jet 4 Centre 13 Jet 4 Centre 15 (1) constructed, (2) recording to the second of the second o	ft. to Other ft., From storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes HP ifugal 5 Reciprocatin instructed, or (3) plugged un 1981 186 day 1981	ft. to
GROUT MATERIAL: uted Intervals: From. O. at is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines action from well	From 1 Neat cement	ft. to 2 Cement grout 10 ft. From 7 Sewage lagor 8 Feed yard 9 Livestock pen How many feet 6 Department? Yes day ft. 2 Turbine CATION: This water well wa month 9 and belief. Kansas Water Water April mo Service b LITHOLOGIO	ft., From 3 Bentonite 4 ft. to 10 Fuel son 11 Fertili 12 Insects 13 Water 2 Water Note 15 Model No. Pumps Capacity rated at at 3 Jet 4 Centre 16 S (1) constructed, (2) recording to the contractor's License Note 17 Section 18 Jet 19	ft. to Other ft., From Storage 14 A zer storage 15 C icide storage 16 C tight sewer lines Well Disinfected? Yes 17 Yes HP Iffugal 5 Reciprocation onstructed, or (3) plugged un 1981 1981 10 10 L	ft. to bandoned water well bit well/Gas well bither (specify below)