

LOCATION OF WATER WELL:		Fraction	Section Number			Township Number			Range Number		
County:	HODGEMAN	NE ¼ NE ¼ NW ¼	27			T 24 S			R 21 E/W		

Distance and direction from nearest town or city street address of well if located within city?

4 East and 4 North of Belfont, Kansas

WATER WELL OWNER: HERRMANN FARMS (Benish Farm)
 RR#, St. Address, Box # : c/o Tom Werner
 City, State, ZIP Code : Offerle, Kansas 67563

Board of Agriculture, Division of Water Resources
 Application Number: ---

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL.....100..... ft. ELEVATION:Slope.....
 Depth(s) Groundwater Encountered 1. ~~Not available~~ 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL . 46. ft. below land surface measured on mo/day/yr April 4, 1986...
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield ... 30... gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter . 9. 7/8 . in. to 100 ft., and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No...XX....; If yes, mo/day/yr sample was sub-
 mitted Water Well Disinfected? Yes XX No

TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued . . XX . Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
XX PVC	4 ABS	7 Fiberglass		Threaded

Blank casing diameter . . . 5 . . . in. to . . . 80 . . . ft., Dia . . . in. to . . . ft., Dia . . . in. to . . . ft.
Casing height above land surface . . . 15 . . . in., weight . . . 2.8 . . . lbs./ft. Wall thickness or gauge No. . . 265

TYPE OF SCREEN OR PERFORATION MATERIAL:			<input checked="" type="checkbox"/> PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	XX Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 80 ft. to 100 ft., From ft. to ft.
From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From 14 ft. to 100 ft., From ft. to ft.
From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: ☒ Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout intervals: From 4 ft. to 14 ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:

<input checked="" type="checkbox"/> Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage

Direction from well? East How many feet? 100

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) April 4, 1986 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/yr) April 17, 1986
under the business name of FRIESEN WINDMILL & SUPPLY INC. by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

05-8500000039