


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

ACA

1. Location of well:		County Hodgeman	Fraction NE 1/4 SW 1/4 NE 1/4	Section number 17	Township number T 24 S R 24 E/W	Range number
2. Distance and direction from nearest town or city: 8 so. - 4 W. of Jetmore			3. Owner of well: Glen Bradford Jr.			
Street address of well location if in city:			R.R. or street: Jetmore, Ks. 67854			
4. Locate with "X" in section below:			Sketch map:			
						
5. Type and color of material			From	To		
Clay			0	20		
Clay, gyp			20	40		
Clay, sand & gravel			40	60		
Sand, Clay, sand streaks			60	80		
Loose sand, gravel & rock mixed			80	100		
Sand, clay, shale			100	105		
Shale			105	124		
BR (103) Rm						
57						
46' sat truck						
7000 2499						
1000						
in of						
(Use a second sheet if needed)						
6. Bore hole dia. 26 in. Completion date 4/20/79		Well depth 124 ft.				
7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug		<input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary				
8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry		<input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock				
<input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other						
9. Casing: Material steel Height (Above or below)		Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in.				
RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 236.86 lbs./ft.		Dial 16 in. to 122 depth Wall Thickness: inches or				
Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth		Gage No. 219				
10. Screen: Manufacturer's name Lakewood						
Type Millslot Dia. 16"						
Slot/gauze 1/8x3 Length 60						
Set between 64 ft. and 124 ft.						
Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/2" down						
11. Static water level: 57 ft. below land surface Date 3/18/79						
12. Pumping level below land surfaces: 112 ft. after 4 hrs. pumping 1300 g.p.m.						
112 ft. after 4 hrs. pumping 1300 g.p.m.						
Estimated maximum yield 1300 g.p.m.						
13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date 3/18/79						
14. Well head completion: 12 inches above grade						
15. Well grouted? <input checked="" type="checkbox"/> With: Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete						
Depth: From 0 ft. to 10 ft.						
16. Nearest source of possible contamination: NA						
Well disinfected upon completion? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						
17. Pump: Peerless Not installed						
Manufacturer's name Peerless						
Model number 48-12" HP 110 Volts 700						
Length of drop pipe 110 ft. capacity 700 g.p.m.						
Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other						
18. Elevation:		19. Remarks:				
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						
20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. 136A Business name High Plains Drilling & Supp. Inc. License No. 5310 W. Hiway 50 G. C. Ks Address 5310 W. Hiway 50 G. C. Ks Signed B. D. Harkness Date 5/10/79 Authorized representative						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5