


USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment (Water well Contractors)
Topeka, Kansas 66620

Location

1. Location of well:		County Gray	Fraction NW 1/4 NW 1/4 NW 1/4	Section number 6	Township number T 24 S R 27	Range number 27
2. Distance and direction from nearest town or city: 7 N. & 1 E. of Cimarron Street address of well location if in city:				3. Owner of well: Rufus Woods R.R. or street: Cimarron, Ks 67835 City, state, zip code:		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 26 in. Completion date 6-7-76 Well depth 130 ft.		
		Well drilled 6-3-76		7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
5. Type and color of material		From	To	8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other <input type="checkbox"/>		
See attachment				9. Casing: Material Steel Height Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36 lbs./ft. Dia. 16 in. to 130 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 250		
				10. Screen: Manufacturer's name Johnson Type Continuous Dia. 16" Slot/gauze 150 Length 40' Set between 125 ft. and 115 ft. 110 ft. and 80 ft. Gravel pack? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1/4 x 1/8		
				11. Static water level: <input type="checkbox"/> mo./day/yr. 75 ft. below land surface Date 6-7-76		
				12. Pumping level below land surfaces: 102 ft. after <input type="checkbox"/> hrs. pumping 675 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.		
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
				14. Well head completion: <input type="checkbox"/> Pitless adapter 12 Inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/> Yes With: Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Depth: From 0 ft. to 10 ft.		
				16. Nearest source of possible contamination: None observed ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Johnston Model number 12AC HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe 125 ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
		(Use a second sheet if needed)				
18. Elevation: Flat Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Henkle Drlg. & Supply 145 Business name License No. Address Box 639 Garden City, KS Signed PA Rankin Date 6-22-76 Authorized representative		

T 24 S R 27
 Sec 6
 1/4 NW 1/4 NE 1/4

DRILLERS TEST LOG

CUSTOMERS NAME Rufus Woods DATE 5-12-76
 STREET ADDRESS _____ TEST # 1
 CITY & STATE Cimarron, KS DRILLER Schupman
 COUNTY Gray QUARTER NW SECTION 6 TOWNSHIP 24 RANGE 27

LOCATION 150' south of the northwest corner of the northwest 1/4

%	DRILLED FOOTAGE		Description of Strata	WELL LOCATION	
	From	Pay To		Static Water Level	Proposed Well Depth
	0		3	Top soil	
	3		38	Brown clay, caliche	
	38		41	Gray sandy clay, cemented sand streak	
	41		50	Sand fine to med. coarse, few small brown gravel	
	50		58	Sand fine to med. coarse, small, med. to large gravel, small brown gravel	
	58		63	Cemented sand	
	63		69	Sand fine to med. coarse; small med. large gravel; white rock, broken	
	69		73	Brown clay	
30	73	6	79	Fine sand	
45	79	21	100	Sand fineto med. coarse, few small and med. gravel very few small clay st., few small white rock	
	100		102	Clay, sandy	
45	102	8	110	Sand fine to med. coarse	
	110		115	Brown clay	
75	115	10	125	Sand fine to med., small gravel, small med. and large white rock	
	125		129	Yellow clay	
	129		140	Shale	
		45			
				TOTAL DEPTH OF WELL 130 FT.	
				Set up rig north	
				Pit on the east	
				Use all Johnson screen	