

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY...

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Gray	Fraction SE 1/4 SE 1/4 SW 1/4	Section number 31	Township number T 24 S R 27	Range number 27 EAW
2. Distance and direction from nearest town or city: 7 N & 1 1/2 E of Cimarron			3. Owner of well: Schartz Land Co. R.R. or street: C/O Arthur Schartz City, state, zip code: Cimarron, KS 67835		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 26 in. Completion date 12-17-76 Well depth 200 ft.	
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
5. Type and color of material		From	To	9. Casing: Material Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 31 lbs./ft. Dia. 6 in. to 200 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 188	
See attachment				10. Screen: Manufacturer's name Brown	
				Type Louvered Dia. 16" Slot/gauze 125 Length 65' Set between 200 ft. and 135 ft. ft. and <input type="checkbox"/> ft. Gravel pack <input checked="" type="checkbox"/> Yes Size range of material 1/4 x 1/8	
				11. Static water level: <input type="checkbox"/> mo./day/yr. 95 ft. below land surface Date 12-17-76	
				12. Pumping level below land surfaces: 187 ft. after <input type="checkbox"/> hrs. pumping 546 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.	
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>	
				14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade	
				15. Well grouted? <input checked="" type="checkbox"/> Yes With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
				16. Nearest source of possible contamination: None ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
				(Use a second sheet if needed)	
18. Elevation: Flat	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Henkle Drlg. & Supply 145 Business name <input type="checkbox"/> License No. <input type="checkbox"/> Address Box 639 Garden City, KS Signed E. L. Bethwell Date 1-17-77 Authorized representative		

24 27 31 1/4 SE 1/4 27

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

DRILLERS TEST LOG

CUSTOMERS NAME Schartz Land Co. DATE 12-10-76
 STREET ADDRESS c/o Arthur Schartz TEST # 3 E. Log 200'
 CITY & STATE Cimarron, KS DRILLER Rector
 COUNTY Gray QUARTER SW SECTION 31 TOWNSHIP 24 RANGE 27

LOCATION 75' W. of Test #1

WELL LOCATION

%	DRILLED FOOTAGE			Description of Strata	Static Water Level
	From	Pay	To		Proposed Well Depth
	0		3	Top soil	
	3		33	Brown clay	
	33		40	Caliche and sand rock	
	40		95	Caliche and clay	
65	95	40	135	Sand fine med. coarse and small gravel, loose, used lots of water, very small clay sts.	
	135		140	Brown clay, gyp rock and sand	
45	140	16	156	Sand fine med. coarse, some gyp rock and brown sandy clay, loose in places, firm in places, used water	
60	156	4	160	Sand fine med. coarse, small gravel and small white rock, loose, used water	
45	160	30	190	Sand fine med. coarse, brown sandy clay, fairly loose, used water	
	190		192	Brown clay	
60	192	5	197	Sand fine med. coarse, med. small gravel and white and tan rock, fairly loose, used water	
	197		198	Yellow clay	
	198		200	Shale	
		95			
TOTAL DEPTH OF WELL 200'					
Set up south					
Pit on west					

GARDEN CITY, KANSAS
 PHONE 276-3278

HENKLE DRILLING & SUPPLY CO., INC.
 IRRIGATION HEADQUARTERS

SUBLETTE, KANSAS
 PHONE 675-4311

TEST HOLES*****STOCK WELLS*****IRRIGATION AND INDUSTRIAL WELLS*****