			WATE	R WELL RECORD F	orm WWC-	5 KSA 82a	-1212	
		TER WELL:	Fraction			ction Number	Township Number	Range Number
County:			NW 1/4		1/4	32	T 24 S	R 27 Exw
Distance a			•	ddress of well if located	•		• • • • • • • • • • • • • • • • • • • •	İ
				ile North, 2 mi			miles North	
	R WELL OV		arron Feede		(South	well)		
RR#, St. A		-	th Star Rov				•	, Division of Water Resources
City, State,		Cim	arron, Kans	as 67835			Application Number	36,483
LOCATE	E WELL'S L IN SECTIO	OCATION WITH	4 DEPTH OF C	OMPLETED WELL	.155	ft. ELEVA	TION:	
AN A	IN SECTIO	N BOX.						3
Ī	!	! !						r .March 9, 1983
	- NW	NE						oumping gpm
	X	1 1						oumping gpm
	^ _i		Bore Hole Diame	eter 1 .0in. to .	155 .		and	in. to
. w -	!		WELL WATER T	O BE USED AS: 5	Public water	er supply	8 Air conditioning 1	1 Injection well
ī L	- SW	 SE	1 Domestic	3 Feedlot 6	Oil field wa	iter supply	9 Dewatering 12	2 Other (Specify below)
	- 3W	3	2 Irrigation	4 Industrial 7	Lawn and	garden only	10 Observation well .	
! L	i		Was a chemical/t	oacteriological sample su	bmitted to D	epartment? Ye	eslf ye	s, mo/day/yr sample was sub-
		5	mitted			Wa	ter Well Disinfected? Yes	XXX No
5 TYPE C	F BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOINTS: Glu	ed . XX Clamped
1 Ste	eel	3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify below	v) We	lded
2 PV		4 ABS		7 Fiberglass			Thr	eaded
Blank casir	ng diameter	6 . 5/.8 .	.in. to 15.5	ft., Dia	in. to		ft., Dia	. in. to ft.
								No 320
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		7 PV	/C	10 Asbestos-cer	nent
1 Ste	eel	3 Stainles	s steel	5 Fiberglass	8 RM	MP (SR)	11 Other (specif	y)
2 Bra	ass	4 Galvaniz	zed steel	6 Concrete tile	9 AE	s	12 None used (open hole)
SCREEN (OR PERFO	RATION OPENIN	IGS ARE:	5 Gauzeo	dwrapped		8 Saw cut	11 None (open hole)
1 Co	ntinuous sk	ot 3 M	Mill slot	6 Wire w	rapped		9 Drilled holes	
2 Lou	uvered shut	ter 4 K	ey punched	7 Torch o				
SCREEN-F	PERFORAT	ED INTERVALS:	From	Ļ10 ft. to	150	ft., Fro	m ft.	toft.
								toft.
G	RAVEL PA	CK INTERVALS:	From	. 62 ft. to	155	ft., Froi	m ft.	toft.
			From	ft. to		ft., Froi	n ft.	to ft.
6 GROUT	MATERIAL			2 Cement grout				
Grout Inter	vals: Fro	m 5	.ft. to 62	ft., From	ft.	to	ft., From	ft. to ft.
What is the	e nearest so	ource of possible	contamination:	none		10 Lives	tock pens 14	Abandoned water well
1 Sep	ptic tank	4 Later	ral lines	none 7 Pit privy 8 Sewage lagge		11 Fuel	storage 15	Oil well/Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (sp								Other (specify below)
3 Wa	atertight sev	er lines 6 Seep	age pit	9 Feedyard		13 Insec	ticide storage	
Direction fr	rom well?					How ma		
FROM	то		LITHOLOGIC		FROM	ТО	LITHOLO	GIC LOG
0	15		& brown cla	y				
15	45	Brown cl					T OPPY A COLUMN TO THE STATE OF	
45	60		ay & medium	sand		ļ		
60	105	Medium s			<u> </u>		5 20 1 1	- FIANA
_105	120			clay layers		1		
120	135_			sandy layers				
135	150	White ro	ck & blue s	hale	<u> </u>			
						ļ <u>l</u>	V-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
				y				
				,				
i								
7 CONTR	RACTOR'S	OR LANDOWNE	R'S CERTIFICATI	ON: This water well was	s (1) constru	icted, (2) reco	nstructed, or (3) pluaged u	nder my jurisdiction and was
completed	on (mo/dav	year) May						nowledge and belief. Kansas
Water Well	Contractor	's License No	179	This Water We	Il Record wa	as completed	on (mo/day/yr) . Augus	27, 1983
under the b	ousiness na	me of Joe's	Well Service	e, Inc. Cimar	ron, Ks.	by (signat	ture) Laux C	rich
INSTRUCT	ΓΙΟΝS: Use	typewriter or ball	point pen, PLEAS	E PRESS FIRMLY and	PRINT clear	ly. Please fill in	blanks, underline or circle	he correct answers. Send top
three copie	s to Kansas	Department of He	ealth and Environm	nent, Division of Environm	nent, Environ	mental Geolog	y Section, Topeka, KS 6662	0. Send one to WATER WELL
OWNER a	nu retain o	ne for your record	15.					