

## WATER WELL RECORD Form WWC-5 KSA 82a-1212

LOCATION OF WATER WELL		Fraction SW 1/4 NE 1/4 SW 1/4					Section Number SW 26	T 28 S 26	Range Number R 28 SW						
County: Gray		Distance and direction from nearest town or city? 1/4 miles North of Cimarron, Kansas on highway 23					Street address of well if located within city?								
WATER WELL OWNER: Melvin Neufeld							Board of Agriculture, Division of Water Resources Application Number:								
RR#, St. Address, Box #:		Cimarron, Kansas 67835													
City, State, ZIP Code:															
DEPTH OF COMPLETED WELL		100 ft. Bore Hole Diameter					15 in. to	ft., and in. to ft.							
Well Water to be used as:		5 Public water supply					8 Air conditioning	11 Injection well							
1 Domestic	3 Feedlot	6 Oil field water supply					9 Dewatering	12 Other (Specify below)							
2 Irrigation	4 Industrial	7 Lawn and garden only					10 Observation well	Fertilizer Plant							
Well's static water level		100 ft. below land surface measured on June month					1st day	1980 year							
Pump Test Data		Well water was 100 ft. after 2 hours pumping					100 gpm								
Est. Yield		Well water was ft. after hours pumping					100 gpm								
TYPE OF BLANK CASING USED:		5 Wrought iron					8 Concrete tile	Casing Joints: Glued <input checked="" type="checkbox"/> Clamped <input type="checkbox"/>							
1 Steel	3 RMP (SR)	6 Asbestos-Cement					9 Other (specify below)	Welded <input type="checkbox"/>							
2 PVC	4 ABS	7 Fiberglass						Threaded <input type="checkbox"/>							
Blank casing dia		8 in. to 100 ft. Dia					in. to ft. Dia	in. to ft.							
Casing height above land surface		10 in., weight					lbs./ft. Wall thickness or gauge No	200 Peerless							
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC					10 Asbestos-cement								
1 Steel	3 Stainless steel	8 RMP (SR)					11 Other (specify)								
2 Brass	4 Galvanized steel	9 ABS					12 None used (open hole)								
Screen or Perforation Openings Are:		5 Gauzed wrapped					8 Saw cut	11 None (open hole)							
1 Continuous slot	3 Mill slot	6 Wire wrapped					9 Drilled holes								
2 Louvered shutter	4 Key punched	7 Torch cut					10 Other (specify)								
Screen-Perforation Dia		100 in. to 100 ft. Dia					in. to ft. Dia	in. to ft.							
Screen-Perforated Intervals:		From 150 ft. to 100 ft.					ft. From	ft. to							
Gravel Pack Intervals:		From 20 ft. to 100 ft.					ft. From	ft. to							
5 GROUT MATERIAL:		1 Neat cement		2 Cement grout		3 Bentonite	4 Other								
Grouted Intervals:		From 0 ft. to 20 ft.		From		ft. to ft. From	ft. to ft.								
What is the nearest source of possible contamination:															
1 Septic tank	4 Cess pool	7 Sewage lagoon					10 Fuel storage	14 Abandoned water well							
2 Sewer lines	5 Seepage pit	8 Feed yard					11 Fertilizer storage	15 Oil well/Gas well							
3 Lateral lines	6 Pit privy	9 Livestock pens					12 Insecticide storage	16 Other (specify below)							
Direction from well		How many feet					13 Watertight sewer lines								
Was a chemical/bacteriological sample submitted to Department?		Yes					14 Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>								
Was submitted		month day					15 Pump Installed? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>								
If Yes: Pump Manufacturer's name		Goulds					16 Model No. UH66KT HP 7 1/2 Volts 230								
Depth of Pump Intake		168 ft.					17 Pumps Capacity rated at 70 gal/min.								
Type of pump:		1 Submersible		2 Turbine		3 Jet	4 Centrifugal	5 Reciprocating	6 Other						
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on May month 21 day 1980 year															
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179															
This Water Well Record was completed on May month 22 day 1980 year under the business name of JOE'S WELL SERVICE Cimarron, Kansas by (signature) <u>Joe's Creek</u>															
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG					FROM	TO	LITHOLOGIC LOG				
		0	15	Top soil & clay					180	190	Coarse (2ft.), clay (3ft)				
		15	30	Clay							Fine sand & clay				
		30	45	Clay & sand rock layers					190	195	Blue shale				
		45	60	Sand rock & medium sand (dry)											
		60	75	Medium to coarse sand & clay											
		75	90	Clay & fine sand											
		90	105	Clay & fine to medium sand (12 ft.)											
		105	135	Medium sand											
		135	150	Medium to fine sand & clay layers											
		150	180	Fine to medium sand & coarse sand											
ELEVATION:															
Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. 4 ft. (Use a second sheet if needed)															
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.															