

Original Pagerd		ge in Well Use			ion of Water		Well ID		
					rces App. No			. NT1	
1 LOCATION OF WA	AIER WELL:	Fraction 1/4 1/4	1/4 1/4	Secti	on Number	Township Numbe T S	r Rang	ge Number □ E □ W	
2 WELL OWNER: La	First:		r Rura	1 Address w	where well is located (				
Business:	ist i varie.		ection from nearest town or intersection): If at owner's address, check here:						
Address:						,	,	_	
Address:	Q	ZID							
City:	State:	ZIP:							
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WELL:				. ft. <b>5 Latitude</b> :(decimal degrees)				
SECTION BOX:	Donth(s) Groundwater Encountered: 1)								
N SECTION BOX.	2) ft. 3) ft., or 4) □				Dry Well Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27				
	WELL'S STATIC WATER LEVEL:				Source for Latitude/Longitude.				
	below land surface, measured on (mo-day-y			G1 S (unit mane) modern					
NW NE	D			(**************************************					
W  +  X	after hours pumping gp			☐ Land Survey ☐ Topographic Map					
		vater was			Online Mapper:				
SW   SE	pumpinggpm								
	gpm			6 Elevation:ft. Ground Level TOC					
S	in. to ft. and			Source: ☐ Land Survey ☐ GPS ☐ Topographic Map ☐ Other					
mile		in. to	ft.			Utner			
7 WELL WATER TO BE USED AS:									
1. Domestic:		iter Supply: well ID				Field Water Supply: lea			
☐ Household ☐ Lawn & Garden	6. Dewaterin								
Livestock	<b>—</b> 1 &								
2. Irrigation	9. Environmenta								
3. ☐ Feedlot					b) Open Loop ☐ Surface Discharge ☐ Inj. of Water				
4. Industrial	☐ Recovery					er (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected? ☐ Yes ☐ No									
8 TYPE OF CASING USED:  Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter in. to ft., Diameter ft., Diameter ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.									
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other.									
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Septic Tank	□ Lateral Line				ivestock Pen	s 🔲 Insectici	de Storage		
☐ Sewer Lines	Cess Pool	☐ Sewage			uel Storage	Abandon		Vell	
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify)									
10 FROM TO	LITHOLOG		FRO			LITHO. LOG (cont.) or l	PLUGGING	INTERVALS	
10 1 KOM 10	LITHOLOG	ole Lou	TRO	IVI	10 1	ETTTO: LOG (cont.) of 1	LOGGING	JIVILIVILIS	
			Notes	:	•				
11 CONTRACTOR'S									
under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Cont	tractor's License No	This	water Well	Keco	rd was com	pieted on (mo-day-yea	ar)	•••••	
under the business name of  Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html