WATER WELL RECORD	Form WWC-5		Water Resources App. 1		
1 LOCATION OF WATER WELL:	Fraction	Section Numb		Range Number	
County: Sray	SW 45W 45W 45E	(4) Z7	T 24 S		
Street/Rural Address of Well Location;			oning System (GPS)		
from nearest town or intersection: If at owner's address, check here From Charleston, 1/2 mile west on Huy 50, 4 4pm.		1	Latitude: (in decimal degrees) Longitude: (in decimal degrees)		
		Elevation:	Elevation:		
North then 12 west.		<u>Datum</u> : D W	GS 84, 🔲 NAD 83, [NAD 27	
2 WATER WELL OWNER: Arlan Algrim RR#, Street Address, Box #: 7/17 Flancing			Collection Method: GPS unit (Make/Model:)		
City State ZIP Code		Digital M	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
Gard	en City, KS. 61846	Est. Accuracy:	☐ <3 m, ☐ 3-5 m, [5-15 m, >15 m	
3 LOCATE WELL	•	(フロ	£		
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)					
N WELL'S STATIC WATER LEVEL/8.2ft. below land surface measured on mo/day/yr4/5//3					
Pump test data: Well water wasft. after hours pumping gpm					
W NW NE E EST. YIELD					
W E Bore Hole Diameter . 7.78 in to					
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well SW SE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)					
Domestic Jawn & garden D Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes X No					
S If yes, mo/day/yr sample was submitted					
Water well disi	nfected? 🔀 Yes 🗌 No				
5 TYPE OF CASING USED: Ste					
CASING JOINTS: To Glued Clamped Welded Threaded					
Casing diameter in. to Diameter in. to ft., Diameter in. to ft.					
Casing height above land surface in., Weight lbs./ft., Wall thickness or gauge No					
Steel Stainless Steel PVC Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot					
SCREEN-PERFORATED INTERVALS: From					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS:	From ft. to				
COCYUNIA (MUDICI)	Fromft. to				
6 GROUT MATERIAL: Neat central Grout Intervals: From	nent Cement grout Ben to Ap ft., From	ff to	ft From	ft to ft	
What is the nearest source of possible con		16. 60	10., 110111	.,,, 10, 00, 11,,,,,,,,,,,,,,,,,,,,,,,,,	
Septic tank Lateral I	ines Pit privy Livestoo			Other (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well					
Direction from well			well/gas well	· · · · · · · · · · · · · · · · · · ·	
FROM TO LITHOLO				LUGGING INTERVALS	
0 20 Tan Clay					
20 40 Caliche		``	water the state of		
40 54 Red Sandy cla	4				
54 110 Med. Sand					
110 140 Fine to Med.					
190 162 white country	pck+time Sand				
162 181 white clay 181 II9 Med. Sand					
219 240 Tan Sandy Clay	+Med Sand			de salas manada de la companya de la	
240 270 Course Soul	A to the second of the second				
7 CONTRACTOR'S OR LANDOWNI	ER'S CERTIFICATION: This v	vater well was 🔀	constructed, \square recon	structed, or plugged	
under my jurisdiction and was completed	on (mo/day/year) 4/5/13	and this record is	s true to the best of m	y knowledge and belief.	
Kansas Water Well Contractor's License	No This Water Wel	I Record was com	ipleted on (morthly/ye	ar) /	
Jan Alan Inna lana lana lana lana lana lana l	11/2 - 11/2-11	her Calamater			
under the business name of Jant	> cu water well	by (signatur	n blanks and check the	X X/	
under the business name of	en. PLEASE PRESS FIRMLY and PRINT th and Environment, Bureau of Water, G	by (signatur clearly. Please fill i eology Section, 1000	n blan ks and che ck the co. SW Jackson St., Swite 42	rfect asswers. Send three copies 20, Topeka, Kansas 66612-1367.	
under the business name ofaut	en. PLEASE PRESS FIRMLY and PRINT th and Environment, Bureau of Water, G	by (signatur clearly. Please fill i eology Section, 1000	n blan ks and che ck the co. SW Jackson St., Swite 42	rfect asswers. Send three copies 20, Topeka, Kansas 66612-1367.	