

WATER WELL RI		** ** C-3	19300		ion of Water		W 11 ID	
		ge in Well Use			rces App. No.	E 1: N 1	Well ID	N. 1
1 LOCATION OF WA	ATER WELL:	Fraction	1/ 1/	Secti	on Number	Township Numb		ge Number
County:		1/4 1/4	1/4 1/4			T S	R	\Box E \Box W
2 WELL OWNER: La	First:				ere well is located			
Business: Address:	direction from nearest town or intersection): If at owner's address, c				neck nere:			
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	API ETED WEI I	•	ft	5 Latitud	<u>):</u>		(daaimal daamaaa)
WITH "X" IN	Depth(s) Groundwater							
SECTION BOX:		3) ft., or 4						
IN .	WELL'S STATIC WA			t. Source for Latitude/Longitude:			110 21	
	below land surface				☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
NW NE	above land surface,			• • • • • • • • • • • • • • • • • • • •				
	Pump test data: Well w							
W E		s pumpingvater was			☐ Onli	ne Mapper:		
SW SE		s pumping						
	Estimated Yield:		gp	6 Elevation:ft. ☐ Ground Level ☐ TOO				
Š	Bore Hole Diameter:		ft. and					
mile		in. to	ft.		L	Other		
7 WELL WATER TO								
1. Domestic:		ater Supply: well ID				ield Water Supply: 1		
Household		g: how many wells?						
☐ Lawn & Garden ☐ Livestock		echarge: well ID g: well ID				nal: how many bore		
2. Irrigation		al Remediation: wel						
3. ☐ Feedlot	☐ Air Sparge							
4. ☐ Industrial	☐ Recovery					(specify):		
Was a chemical/bacteri	ological sample subm	nitted to KDHE?	□ Yes □	No]	If ves, date sa	ample was submitte	ed:	
Water well disinfected?					, ,			
8 TYPE OF CASING		C □ Other	C	ASINO	G JOINTS: 「	☐ Glued ☐ Clampe	d □ Welded	l □ Threaded
Casing diameter								
Casing height above land so						ss or gauge No		
TYPE OF SCREEN OR	PERFORATION MA							
	less Steel					(Specify)		
☐ Brass ☐ Galva	anized Steel Conc		e used (oper	n hole)				
			Torob Cut	□Dei	llad Holos - F	Other (Specify)		
	☐ Key Punched ☐ W				ne (Open Hole			• • • • • • • • • • • • • • • • • • • •
SCREEN-PERFORATE	D INTERVALS: From	n ft. to	ft F	rom	ft. to	ft From	ft. to	ft.
GRAVEL PACK INTERVALS: From								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
Sewer Lines	Cess Pool	☐ Sewage			uel Storage		oned Water	Well
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Oil Well/Gas Well								
Direction from well? ft.								
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		G INTERVALS
			NT - 4					
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and	d was completed on (m	no-day-year)		and th	is record is t	rue to the best of m	y knowleds	ge and belief.
Kansas Water Well Contractor's License No								
under the business name	under the business name of							
KS Department of Health ar	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.						. 785-296-3565	
running of fround at	Durcuu OI V	, coology beetion	, 1000 D 11 Ja		, ~ 120, 10]		rerephone	= , 0 0

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1119386	

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	62	BROWN CLAY
62	76	COARSE SAND SMALL GRAVEL FEW CEMENTED STREAKS
76	78	LIGHT BROWN CLAY
78	82	CEMENTED SAND
82	112	COARSE SAND
112	119	BROWN CLAY, GYPSUM STREAKS
119	127	MED COARSE SAND SMALL GRAVEL
127	132	BROWN CLAY
132	152	FINE TO MED SAND SOME SMALL GRAVEL
152	172	SANDY BROWN CLAY, FEW MED SAND STREAKS
172	182	MED TO COARSE SAND FEW LOOSE STREAKS BROWN CLAY STREAKS
182	192	CEMENTED SAND, FEW LOOSE STREAKS, BROWN CLAY STREAKS
192	202	BROWN CLAY, GYPSUM, CEMENTED SAND
202	213	FINE TO MED BROWN SAND
213	226	BROWN CLAY FINE TO MED SAND STREAKS

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1119386	

Litholgy

From	То	LithologicLog	
226	240	COARSE SAND SMALL GRAVEL, WHITE BROKEN ROCK	
240	242	BROWN CLAY	
242	255	COARSE SAND SMALL GRAVEL, WHITE BROKEN ROCK (LOOSE)	
255	258	BROWN CLAY	
258	266	FINE SAND (LOOSE)	
266	280	COARSE SAND, SMALL GRAVEL, WHITE BROKEN ROCK (LOOSE)	
280	290	BROWN CLAY	
290	307	BROWN CLAY, FEW COARSE SAND STREAKS 70/30	
307	310	MED TO COARSE SAND, WHITE BROKEN ROCK (LOOSE)	
310	321	YELLOW SOAPSTONE, GRAY SHALE	
321	330	SHALE	