

County: Finney Fraction: SW SW SW Sec. 7 T. 24 S R. 32 W

**CORRECTION(S) to WATER WELL COMPLETION RECORD Form WWC-5** (to rectify lacking or incorrect information)

Owner: Dart In DMW8

If location corrected, was listed as:

Section-Township-Range: 7-24-33W

Location changed to:

7-24-32W

Fraction (1/4 calls): SW SW SW

Other changes: Initial statements: \_\_\_\_\_

Changed to: \_\_\_\_\_

Comments: \_\_\_\_\_

Verification method: Google maps and KGS mapper based on directions on WWC-5

Initials: SH Date: 08-16-2019

Submitted by: ☒ Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3724  
☐ Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367

1 LOCATION OF WATER WELL: County: <b>Finney</b>	Fraction <b>SW<sub>4</sub> SW 1/4 SW<sub>4</sub></b>	Section Number <b>7</b>	Township Number <b>T 24 S</b>	Range Number <b>R 33 E (N)</b>
--	---	----------------------------	----------------------------------	-----------------------------------

Distance and direction from nearest town or city street address of well if located within city?

**East side of Mildred Street, North of Kansas Avenue**

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	<b>Dart In 1103 North Taylor Garden City, Ks.</b>	Board of Agriculture, Division of Water Resources Application Number:
---	---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <b>33</b> ft. ELEVATION: <b>NA</b>
	Depth(s) Groundwater Encountered 1. <b>23</b> ft. 2. . ft. 3. . ft.
	WELL'S STATIC WATER LEVEL: <b>23.56</b> ft. below land surface measured on mo/day/yr <b>11-10-93</b>
	Pump test data: Well water was . ft. after . hours pumping . gpm
	Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm
	Bore Hole Diameter: <b>7 5/8</b> in. to <b>33</b> ft. and . in. to . ft.
WELL WATER TO BE USED AS:	
5 Public water supply    8 Air conditioning    11 Injection well 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 Lawn and garden only <b>(10) Monitoring well</b>	
Was a chemical/bacteriological sample submitted to Department? Yes . No <b>X</b> ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes . No <b>X</b>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued . . . . . Clamped . . . . .
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<b>(2) PVC</b>	4 ABS	7 Fiberglass	Welded . . . . .
Blank casing diameter: <b>2</b> in. to <b>18</b> ft. Dia			Threaded <b>X</b>
Casing height above land surface: <b>0</b> in. weight . lbs./ft. Wall thickness or gauge No. <b>sch. 40</b>			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	<b>(7) PVC</b>
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)
			9 ABS
			10 Asbestos-cement
			11 Other (specify)
			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	<b>(3) Mill slot</b>	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	11 None (open hole)
		7 Torch cut	9 Drilled holes
			10 Other (specify)
SCREEN-PERFORATED INTERVALS:			
From: <b>18</b> ft. to <b>33</b> ft.	From: . ft. to . ft.	From: . ft. to . ft.	From: . ft. to . ft.
From: . ft. to . ft.	From: . ft. to . ft.	From: . ft. to . ft.	From: . ft. to . ft.
GRAVEL PACK INTERVALS:			
From: <b>16</b> ft. to <b>33</b> ft.	From: . ft. to . ft.	From: . ft. to . ft.	From: . ft. to . ft.
From: . ft. to . ft.	From: . ft. to . ft.	From: . ft. to . ft.	From: . ft. to . ft.

6 GROUT MATERIAL:	1 Neat cement	<b>(2) Cement grout</b>	<b>(3) Bentonite</b>	4 Other
Grout Intervals: From: <b>0</b> ft. to <b>14</b> ft.	From: <b>14</b> ft. to <b>14</b> ft.	From: <b>14</b> ft. to <b>16</b> ft.	From: . ft. to . ft.	From: . ft. to . ft.
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	<b>(11) Fuel storage</b>	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	16 Other (specify below)
Direction from well? <b>northwest</b>				How many feet? <b>310</b>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2'	lt red cly, v slty, mod snd, f to c grn, sl grv			
2'	6'	cly, dk brn, v slty, tr f to c snd			
6	10	snd, org-yell, v f grn, well srtd, v slty, rnd-subang			
10	15	snd, org-yell, v f grn, well srtd, v slty, rnd-subang			
15	20	snd, f to med grn, mod grvl & rock, yell-brn in color			
20	22	snd, v f grn, tr of grvl & rock, rnd-subang, yell-brn			
22	28	snd, f to med grn, mod grvl & rocky rnd yell-brn			
28	33	snd, f to med grn, mod grvl & v rocky, yell-brn, w/rocks up to 2" in size			
					DMW8-flush mount cover

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>(1)</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) <b>11-08-93</b>	and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>527</b>	This Water Well Record was completed on (mo/day/yr) <b>12-07-93</b>
under the business name of <b>GedCore Services, Inc.</b>		by (signature) <i>Dale Koll</i>