GSI Job	No. 05747	0					WA 10 Ma	MW-4
1 LOCATIO	ON OF WATE	R WELL:		R WELL RECORD		KSA 82a-12 on Number		Range Number
County:		ney	NW ¼	SE ¼ S	SE %	17	т 24 s	
			town or city street add					N J
1	512 E Fulto	on, Gard	en City					
2 WATER	WELL OWNE	R:	KDHE					
RR#, St. Add	dress, Box#	:		ckson St. Suit	te 410		Board of Agriculture,	Division of Water Resources
	ZIP Code		Topeka, KS	66612			Application Number:	
	WELL'S LOC SECTION B			OMPLETED WELL	49	4 E! E\	ATION: 2	832 40 (TOC)
┰ /^`` <u>┣─</u>	i	JA.			1 44	II. CCCV	2	ft. 3ft.
			WELL'S STATIC	WATER I EVEL	42.30 ft	alow land e	urface measured on mol	day/yr 2-3-06
	NW	- NE	I					
₩ W	i .							urs pumping gpm urs pumping gpm
7	i			ter 8.5 in t	to 49		ft and	in to
 	sw	- s'E	WELL WATER TO	O BE USED AS:	5 Public water su	pply	8 Air conditioning	in. to ft. 11 Injection well 12 Other (Specify below)
1		,×	1 Domestic	3 Feed lot	6 Oil field water s	upply	9 Dewatering	12 Other (Specify below)
٠ <u>ـ</u> ـــ	S		2 Irrigation	4 Industrial	7 Lawn and gard	en (domestic	10 Monitoring well	<u> </u>
			Was a chemical/t	bacteriological samp	ole submitted to D	epartment?	Yes No X If	yes, mo/day/yr sample was
			submitted			Wa	ter Well Disinfected? Ye	es No X
5 TYPE O	F BLANK CAS	SING USE	D :	5 Wrought Iron	8 Concre	te tile	CASING JOINTS:	Glued Clamped
1 Ste		3 RN	IP (SR)	6 Asbestos-Cen	nent 9 Other (specify belo	w) .	Welded
2 PV			S	7 Fiberglass				Threaded Flush
Blank casing	g diameter _	2	in. to 39	ft., Dia	in. to	·	ft., Dia	in. to ft.
Casing heig	ht above land	surface	Flushmount	in., weight	0.703	lbs./ft.	Wall thickness or gauge	No. Sch. 40
TYPE OF S	CREEN OR P	ERFORA	TION MATERIAL:		7	PVC	10 Asbestos-	cement
1 Ste			inless steel	5 Fiberglass	8	RMP (SR)	11 Other (spe	cify)
2 Bra			Ivanized steel NINGS ARE:	6 Concrete tile	9	ABS	12 None used	(open hole)
	ntinuous slot		3 Mill slot	5 G	/ire wrapped		8 Saw cut 9 Drilled holes	11 None (open hole)
	vered shutter	-	4 Key punched		orch cut			
	ERFORATED					· ft f		ft. to ft.
								ft. toft.
GR	AVEL PACK II	NTERVAL	S: From	37 ft. to	49	ft l	From	ft. toft.
				ft. to			From	ft. to ft.
6 GROUT	MATERIAL:	1 No	eat cement 2					
					ft t	0	ft From	ft. to ft.
What is the	nearest source	e of possi	ble contamination:			10 Lives		4 Abandoned water well
	ptic tank		4 Lateral lines	7 Pit p	orivy	11 Fuel	•	5 Oil well/ Gas well
2 Se	wer lines		5 Cess pool	8 Sev	vage lagoon	12 Ferti	lizer storage 10	6 Other (specify below)
3 Wa	tertight sewer	lines	6 Seepage pit	9 Fee	dyard	13 Insec	cticide storage	
Direction fro				0010100	55011	How many		10 11 17 17 14 1 0
FROM 0	0.5	CODE	Concrete	LOGIC LOG	FROM	ТО	PLUGGI	NG INTERVALS
0.5	7	CL-ML	Silty Clay with fi	ine sand				
7	10.5	SP	Sand with silt			T		
10.5	15		Sand some grave					
15	35	SWG	Sand & Gravel					
25	40	8140	Sand & Gravel		1.5			
35 48	48		inches in diameter Silty Clay					
7.0	+	- IVI L	-my olay					
	-							
7 CONTE	ACTORIO CO	LANDO	(NEDIO CEDENCIA	TON. This	(4)	****		dda.a.a
								d under my jurisdiction and was
1 '	on (mo/day/yr	·		2-06			/ L	nowledge and belief. Kansas
1			Gootoobnica	531			Record was completed o	(mo/day/yr) 3-3-06
under the b	SUCTIONS: PI	ease fill in	planks and circle the cor	al Services, In	three conies to Kan	gnature) sas Departm	ent of Health and Environm	ent, Bureau of Water, 1000 S W
Jackso	on St., Ste. 420	, Topeka, K	ansas 66612-1367. Te	lephone: 913-296-55	545. Send one to W	ATER WELL	. OWNER and retain one fo	or your records.

		WATER WELL	RECORD	Form WV	VC-5	KSA 82a-1	212 ID 1	No			
LOCATION OF WATER WE						on Number		ship Numbe	r Ra	inge Numb	er
unty: Finney		½ SE	<u> 14</u> S	E 1/4		17	Т	24	S R	32	W
tance and direction from ne 1512 E Fulton, (arest town or city str	eet address of	well if located	d within o	city?						
WATER WELL OWNER:	KDHE							-			
		W Jackson	. C4 C	. 440							
R#, St. Address, Box # :		, KS 6661		410				•	e, Division of	Water Reso	ources
ty, State, ZIP Code : LOCATE WELL'S LOCATO	N WITH							ation Numbe		 	
AN "X" IN SECTION BOX:	4 DEPTH	l OF COMPLE iroundwater Er	TED WELL		49	ft. ELE\	VATION:		2832.40 (T	OC)	
	Depth(s) G	roundwater Er	ncountered	1	44	ft	t. 2		ft. 3		ft.
NWNE	WELL'S S	TATIC WATER	RLEVEL	42.30	ft. b	elow land s	surface me	asured on m	o/dav/vr	2-3-06	,
1 1		Pump test da									
w	E Est. Yield	an	m: Well wa	ter was			ft after	h	ours numnino	1	anm
	Bore Hole	Diameter TER TO BE Us mestic 3 Fe	8.5 in. to		49		ft. and		in to		ft
swse	WELL WA	TER TO BE U	SED AS: 5	Public v	vater su	pply	8 Air	conditioning	11 Inject	tion well	
. i .*	1 Do	mestic 3 Fe	ed lot 6	Oil field	water s	upply	9 Dev	vatering	12 Othe	r (Specify b	elow)
S	2 Irrig	gation 4 Inc	dustrial 7	Lawn a	nd garde	en (domesti	c) 10 M	onitoring wel			.
	Was a che	mical/bacterio	logical sampl	e submit	ted to D	epartment?	Yes	No X	if yes, mo/da	y/yr sample	was
	submitted					Wa	ater Well Di	sinfected?	Yes	No X	
TYPE OF BLANK CASING	USED:	5 W	rought Iron	8	Concre	te tile	CASII	NG JOINTS:	Glued	Clampe	d
1 Steel 3	RMP (SR)	6 As	bestos-Ceme	ent 9	Other (s	specify belo	ow)		Welded		
2 PVC 4	ABS	7 Fil	perglass						Threaded	Flus	h
ank casing diameter	2 in. to	39 fr	t., Dia		in. to		ft Dia		in, to		ft.
sing height above land surfa	ce Flushmou	int in., weig	tht	0.70	3	lbs./ft.	Wall thick	ness or gaug	e No.	Sch. 40)
PE OF SCREEN OR PERF	ORATION MATERIA	L:			7 F	PVC		0 Asbestos	-cement		
1 Steel 3	Stainless steel	- 5 Fil	perglass		8 F	RMP (SR)					
2 Brass 4	Stainless steel Galvanized steel	6 Cd	oncrete tile		9 4	ABS	1	2 None use	ecify) ed (open hole)	
CREEN OR PERFORATION				uzed wra	apped		8 Saw	cut	11 No	one (open h	nole)
1 Continuous slot	3 Mill slot			e wrapp				d holes			
	4 Key punche		7 Toi				10 Othe	er (specify)			
CREEN-PERFORATED INTE	RVALS: From	39	ft. to		49	ft. I	From		ft. to		ft.
	From _		ft. to			ftl	From		ft. to		ft.
GRAVEL PACK INTER		37									ft.
GROUT MATERIAL:	 Neat cement 	2 Cemen	t grout		3 Bent	onite	4 Other			. 	
rout Intervals From	1 ft. to	37 ft.	From		ft. to)	ft.	From	ft. t	0	ft.
hat is the nearest source of p	ossible contamination	on:			,				14 Abandone		
1 Septic tank	4 Lateral	lines	7 Pit pr	vy		11 Fuel	storage		15 Oil well/ G	as well	
2 Sewer lines	5 Cess p		8 Sewa	ge lagoo	on	12 Ferti	lizer storag	e	16 Other (spe	ecify below)) .
3 Watertight sewer lines	6 Seepa	ge pit	9 Feed	/ard			cticide stor	age _			
rection from well? FROM TO CO	DEL	ITUOLOGIO I	00			How many	y feet?	- DI 1100			
FROM TO CO 0 0.5	Concrete	ITHOLOGIC L	UG		ROM	ТО		PLUGG	ING INTERV	ALS	
	ML Silty Clay	with fine san	d								
7 10.5 s			-				- :				
10.5 15 S								-:			
	G Sand & Gr	avel				-					
45	Sand & Gr		els up to 1.	5							
	/G inches in dia										
48 49 CL-	ML Silty Clay										
							ļ				
							ļ				
	1					1					
							· · · · · ·			-	
							· ·				

531

Water Well Contractor's License No.

and this record is true to the best of my knowledge and belief. Kansas

This Water Well Record was completed or (mo/day/yr)

3-3-06