GSI Job No. 057470 MW-5										
WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.										
1 LOCATION OF WATER WELL:			1			ľ	on Number	1		nge Number
County:		nney		SE ½		1/4	17	Т 24	S R	32 W
Distance and direction from nearest town or city street address of well if located within city?  1512 E Fulton, Garden City										
2 WATER WELL OWNER: KDHE										
RR#, St. Address, Box # : 1100 SW Jackson St. Suite 410 Board of Agriculture, Division of Water Resources										
City, State, ZIP Code : Topeka, KS 66612 Board of Agriculture, Division of Water Resources  Application Number:										
LOCATE	WELL'S LOC	CATON WIT	TH							
AN "X" IN	SECTION B	OX:	DEPTH OF C	COMPLETED W		49	ft. ELEV	VATION: 2	2832.01 (T	C)
1		į	Depth(s) Ground			44	ft.	. 2	ft. 3	ft.
	NW	NE				<b>1.94</b> ft. be	elow land su	surface measured on	mo/day/yr	2-3-06
١	i.		Pum	ip test data: V	/ell water	was	ff	t. after	hours pumping	gpm
₹ w —	<del></del>	$\rightarrow$	E Est. Yield	gpm: W	Vell water v	was	ft	ft. after	hours pumping	apm
i i			Bore Hole Diame	neter 8.5	in. to	49		ft. and	in. to	ft.
	sw	SE		TO BE USED AS ic 3 Feed lot				B Air conditionin	na 11 injectio	on well i
		·^							12 Otner	(Specify below)
' -	S							c) 10 Monitoring w		
					sample si			Yes No X		
			submitted					ater Well Disinfected?		
	F BLANK CAS			5 Wrought				CASING JOINTS	S: Glued	Clamped
1 Stee		_	MP (SR)	6 Asbestos	-Cement	9 Other (s	pecify belo	w)	Welded	
2 PVC		4 ABS		7 Fiberglas					Threaded	
Blank casing	ı diameter	2	in. to 39	ft., Dia		in. to	,	ft., Dia	in. to	ft.
Blank casing diameter 2 in. to 39 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface Flushmount in., weight 0.703 lbs./ft. Wall thickness or gauge No. Sch. 40										
TYPE OF SC	CREEN OR F	ERFORAT	TION MATERIAL:			7 F	VC	10 Asbest	ios-cement	
1 Stee				5 Fiberglas	ss	8 R	RMP (SR)	11 Other (		
2 Bras	SS	4 Ga	Ivanized steel	6 Concrete	e tile	9 A	ABS	12 None u	used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole										
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes										
l I			4 Key punched		7 Torch o			10 Other (specify	) <u>:</u>	
SCREEN-PE	ERFORATED	INTERVA	LS: From		to	49	ft. F	From	ft. to	ft.
			From	ft.	. to		ft. F	From	ft. to	ft.
GRA	AVEL PACK II	NTERVAL	S: From	37 ft.	to	49	ft. F	From	ft. to	ft.
			From	ft.	. to		ft. F	From	ft. to	ft.
6 GROUT	MATERIAL:	1 Ne	at cement :	2 Cement grout	t	3 Bent/	onite	4 Other		
Grout Interv	als From	1	ft. to 37	ft. From		ft. tc	)	ft. From	ft. to	ft.
What is the r	nearest source	ce of possil	ble contamination:					stock pens	14 Abandoned	
	otic tank		4 Lateral lines	. 7	Pit privy		11 Fuels		15 Oil well/ Ga	
	wer lines		5 Cess pool		Sewage I			lizer storage	16 Other (spec	
3 Wat	tertight sewer	r lines	6 Seepage pit							
Direction from	m well?						How many	y feet?		
FROM	ТО	CODE		LOGIC LOG		FROM	TO	PLUC	GGING INTERVA	LS
0	0.5		Concrete							
0.5	5		Silty Clay				<b></b>			
5 10	10 20		Silty Clay			<del></del> '	<b></b>			
20	45	SW	Sand, some grave Sand with grave	/81					-	
	70		Sand & Gravel		to 2	<del> </del> '				
45	48		inches in diameter		0 2	/				
48	49		Silty Clay	<del></del>		+				
						'				
<del>                                   </del>	ļ						<u> </u>	<u> </u>		
-1000175								<u> </u>		
_			,		er well was			onstructed, or (3) plug	_	<i>1</i> · 1
			<b></b>	2-06				true to the best of my		
Water Well	Contractor's I	License No	).	531				ecord was completed		<b>//</b> 3-3-06
	usiness name			al Sarvicas	Inc	by fair	natura) /	Musion	- Cot	11-

er the business name of **Geotechnical Services, Inc.** by (signature) What was the surface of the under the business name of