

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Finney		NW $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$	17	T 24 S	R 32 W

Distance and direction from nearest town or city street address of well if located within city?
1512 E Fulton, Garden City

2 WATER WELL OWNER:		KDHE
RR#, St. Address, Box #		1100 SW Jackson St. Suite 410
City, State, ZIP Code		Topeka, KS 66612
		Board of Agriculture, Division of Water Resources
		Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 49 ft. ELEVATION: 2832.10 (TOC)	
<div><div>1 Mile</div><div><div>W</div><div><div><div><div>NW</div><div>NE</div></div><div><div>SW</div><div>SE</div></div></div><div>X</div></div><div>S</div></div></div>		Depth(s) Groundwater Encountered 1 44 ft. 2 _____ ft. 3 _____ ft.	
		WELL'S STATIC WATER LEVEL 41.99 ft. below land surface measured on mo/day/yr 2-3-06	
		Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm	
		Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm	
		Bore Hole Diameter 8.5 in. to 49 ft. and _____ in. to _____ ft.	
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well	
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes _____ No X If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes _____ No X	

5 TYPE OF BLANK CASING USED:		5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glued _____ Clamped _____
1 Steel 3 RMP (SR)		6 Asbestos-Cement	9 Other (specify below)	Welded _____
2 PVC 4 ABS		7 Fiberglass		Threaded Flush
Blank casing diameter 2 in. to 39 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.				
Casing height above land surface Flushmount in., weight 0.703 lbs./ft. Wall thickness or gauge No. Sch. 40				
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement		
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) _____				
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)		
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) _____				
SCREEN-PERFORATED INTERVALS:		From 39 ft. to 49 ft. From _____ ft. to _____ ft.		
GRAVEL PACK INTERVALS:		From 37 ft. to 49 ft. From _____ ft. to _____ ft.		

6 GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other _____
Grout Intervals From 1 ft. to 37 ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					

Direction from well?		How many feet?				
FROM	TO	CODE	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	0.5		Concrete			
0.5	5.5	CL	Clay with silt			
5.5	10	CL-ML	Silty Clay			
10	15	SP	Sand			
15	16	SW	Sand some gravel			
16	20	ML	Silt with sand			
20	35	SW	Sand with gravel			
35	48	SWG	Sand and Gravel			
48	49	CL-ML	Silty Clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 3-2-06 and this record is true to the best of my knowledge and belief Kansas	
Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 3-3-06	
under the business name of Geotechnical Services, Inc. by (signature) <i>[Signature]</i>	