		R WELL RECORD F	orm WWC-5	KSA 82a-12	12 ID No. OB-1	
1 LOCATION OF WATER WELL			1	tion Number		Range Number
County: Finney	NW ¼			18	т <b>24</b> s	R 32 EM
Distance and direction from neare 310 <b>West Kansas—Garde</b> n		dress of well if located	within city?			C
2 WATER WELL OWNER: KD						
RR#, St. Address, Box # : 10					Speed of Agriculture C	Division of Water Resources
City Chairs 71D Code . To	naka KS 66612				A amiliantiam Alumaham	
LOCATE WELL'S LOCATON V AN "X" IN SECTION BOX:	VITH A			<del></del>	Application (uniter.	1. 11. 11. 11. 11. 11. 11. 11. 11. 11.
AN "X" IN SECTION BOX:	DEPTH OF	COMPLETED WELL	43	ft. ELEV	ATION:	
× _N	Depth(s) Ground	water Encountered	1	ft.	2ft.	3ft.
↑   × T	WELL'S STATIC	WATER LEVEL	36.81 ft.	below land su	urface measured on mo/da	ay/yr
NE	Pum	p test data: Well wate	er was	ft.	after hour	s pumping gpm
	Est. Yield	gpm: Well water	er was	ft.	after hour	s pumpinggpm
∯ w	E Bore Hole Diam	eter 10.5 in. to	43	3	ft. and	in. to ft. 11 Injection well 12 Other (Specify below)
7	WELL WATER	O BE USED AS: 5 I	Public water s	upply	8 Air conditioning	11 Injection well
		4 Industrial 7	Jii neid water	supply	S Dewatering	12 Other (Specify below)
1 1 1 1	2 Irrigation					
s s	1	bacteriological sample	SUDMIRLEG TO I			es, mo/day/yr sample was
	submitted	£ \Al	0 0		er Well Disinfected? Yes	
5 TYPE OF BLANK CASING US		5 Wrought Iron		ete tile		ued Clamped
/ \	RMP (SR)				v) W	elded
		7 Fiberglass			Th	readed X
Blank casing diameter 4	in. to	ft., Dia	in, 1	0	ft., Dia	in. toft,
Blank casing diameter 4 Casing height above land surface TYPE OF SCREEN OR PERFOR		in., weight		lbs./ft.	Wall thickness or gauge N	10
	ATION MATERIAL: Stainless steel	5 Fiberglass			10 Asbestos-cei	ment W
	Salvanized steel		٥	RMP (SR) ABS	12 None used (	ý) poen hole)
SCREEN OR PERFORATION OF			zed wrapped	ADO	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire	wrapped		9 Drilled holes	· · · · · · · · · · · · · · · · · · ·
2 Louvered shutter	4 Key punched	/ i orc	in cut		10 Other (specify)	
SCREEN-PERFORATED INTER	/ALS: From	28 ft. to	43	ft. F	rom1	t. toft.
	From	ft. to		ft. F	rom1	t. to ft.
GRAVEL PACK INTERVA	ALS: From	26 ft. to	43	ft. F	rom 1	t. toft. t. toft.
6 GROUT MATERIAL: 1	From	ft. to		ft. F	rom f	t. to ft.
6 GROUT MATERIAL: 1	Neat cement 🔾	Cement grout	(3)Ben	tonite	4 Other	
Grout Intervals From 0	ft. to 24	ft. From	24 1.	to 210	ft. From	ft. to ft.
What is the nearest source of pos	sible contamination:		,	10 Livest	ock pens 14 /	Abandoned water well
1 Septic tank	4 Lateral lines				•	Oil well/ Gas well
2 Sewer lines	5 Cess pool	8 Sewag	e lagoon	12 Fertilia		Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedya	ard			ontaminated Site
Direction from well?		600155	7	How many		1117771
FROM TO CODE <b>9.5</b>	Sand, It brown	LOGIC LOG	FROM	ТО	PLUGGING	INTERVALS
9.5 12.5		, fine grain silty, medium sti	ff	-		
12.5 20	Sand, It gray,	ne grain		+		
20 28.5	Sand, It gray,	ine-medium gra	n	+		**************************************
28.5 43	Sand, It brown	, fine-medium		+		
	grain					
		· · · · · · · · · · · · · · · · · · ·				
	+					
				+	*****	
				-		
7 CONTRACTOR'S OR LANDO	WNER'S CERTIFICAT	ION: This water well w	as (1) construc	ted. (2) recon	structed, or (3) plugged un	der my jurisdiction and was
completed on (mo/day/yr)			•		ue to the best of my know	
Water Well Contractor's License I		554				
under the business name of	Woof	ter Pump & Well	inc.	h	cord was completed on (n	Crucotus POA
INSTRUCTIONS: Please fill in	blanks and circle the cor	rect answers. Send three	e copies to Kans	sas Departmen	t of Health and Environment,	Bureau of water, 1000 S w
Jackson St., Ste. 420, Topeka,	Kansas 66612-1367. Te	ephone: 913-296-5545.	Send one to W	ATER WELL O	WNER and retain one for yo	our records.