	WATE	R WELL RECORD	Form WW0	-5 KSA 82a-	1212 ID No. OB-	2	to the state of th
1 LOCATION OF WATER WELL:				Section Number	1	i	nge Number
County: Finney		NE ¼			T 24	S R	32 EW
Distance and direction from nearest tow 310 West Kansas—Garden Cit		tress of well it loca	ited within cit	y?			\mathcal{I}
2 WATER WELL OWNER: KDHE							
RR#, St. Address, Box# : 100 St	N .lackeon				Board of Academia	tura Division of V	Vator Possures
RR#, St. Address, Box#: 100 SW Jackson City, State, ZIP Code: Topeka, KS 66612 Application Number:							
a LOCATE WELL'S LOCATON WITH 4							
AN "X" IN SECTION BOX:	DEPTH OF C	OMPLETED WEL	L	43 ft. ELE	VATION:		
N N	Depth(s) Ground	water Encountered	1 1	f	t. 2	ft. 3	ft.
	WELL'S STATIC	WATER LEVEL	37.72	ft. below land	surface measured on	mo/day/yr	
NWNE	Pump	test data: Well	water was		ft. after	hours pumping	gpm
	Est. Yield	gpm: Well	water was		ft. after	hours pumping	gpm
№ W	Bore Hole Diame	ter 10.5 in	. to	43	ft. and	in. to	ft.
	WELL WATER T	O BE USED AS:	5 Public wa	ter supply	ft. and 8 Air conditionir 9 Dewatering	ng 11 Injection	on well
SWSE	2 Introduce	A Industrial	7 Laure and	ater supply	ic) Monitoring w	12 Utiler	(opecity below)
	2 Irrigation						
S	į.	vacteriological san	ihe anomitte		Yes No X		
	submitted	5 Manual 1			ater Well Disinfected?		
5 TYPE OF BLANK CASING USED:	(SD)	5 Wrought Iron				S: Glued	
1 ()	(SK)	6 Asbestos-Ce	ment 9 C	trier (specify beli	ow)	Welded	
2 PVC 4 ABS	in 4a 20	7 Fiberglass			A Di-	Threaded	X
Blank casing diameter 4 in. to 40 ft., Dia in. to ft., Dia in. to ft.							
Blank casing diameter 4 in. to 28 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 0 in., weight 2.07/ Ibs./ft. Wall thickness or gauge No. , 237 TYPE OF SCREEN OR PERFORATION MATERIAL: 10 Asbestos-cement							
						(specify)	
2 Brass 4 Galva	nized steel	6 Concrete tile		9 ABS	12 None i		
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped & Saw cut 11 None (open hole)							
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
1	, ,					n)	
SCREEN-PERFORATED INTERVALS		28 ft. to	4	3 ft.	From	ft. to	ft.
	From	ft. to		ft.	From	ft. to	ft.
GRAVEL PACK INTERVALS:		26 ft. to	4	3 ft.	From	ft. to	ft.
	From	ft. to	_	ft.	From	ft. to	ft. l
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 0 ft. to 24 ft. From 24 ft. to 24 ft. From ft. to ft.							
What is the nearest source of possible	contamination:			10 Live	stock pens	14 Abandoned	water well
1 Septic tank	4 Lateral lines	7 Pit			storage		
2 Sewer lines					lizer storage		
3 Watertight sewer lines	6 Seepage pit	9 Fe	edyard		cticide storage	Contami	nated Site
Direction from well? FROM TO CODE	LITHOL	OGIC LOG	FO	How man		GING INTERVA	is
	it, it brown, c			<u> </u>	7.00	JOHN HITERVA	
	iff					1. 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	
9.5 12.5 C	ay, gray, silty						
12.5 18.5 Sa	ind, gray-blad		um				
	rain						
	ind, it brown,	tine-medium	1				
G	rain				ļ		
						· · · · · · · · · · · · · · · · · · ·	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was							
completed on (mo/day/yr) 2/7/07 and this record is true to the best of my knowledge and belief. Kansas							
Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) / 4/20/07 under the business name of Woofter Pump & Well Inc. by (signature)							
under the business name of	ννοοπ	er Pump & W	/eli inc.		by (signature)	Sur is W	TO THE STATE OF TH
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							
Jackson St., Ste. 420, Topeka, Karis	20 000 12-130/. 1el	priorio. a 10-280-00	AJ. Jellu DNE	M ANVIEW AMERT	CAALACLY COLD LEGISTION	e ioi youi lecolos.	