		RECORD		m WWC-	5 D					pp. No.	
1 LOCATION OF WATER WELL: County: Finney			Fraction	SF /	SF /	Sect	tion Nu	ımber	Towns	hip Number 24 S	Range Number
Distance a	and direction	from nearest town	or city stre	et address o	f well if	Glob	al Posi	itioning	g System	(decimal deg	rees min of 4 digital
Distance and direction from nearest town or city street address of well if located within city? 407 E. Kansas Ave, Garden City, KS Latitude: N 37.97538°											
Longitude: W 100.86659° 2 WATER WELL OWNER: Rupp's Tire Service Elevation: 2835.05 rim/ 2834.64 toc											
RR#, S	st. Address,	Box # : 407 E.	Kansas Av	e.						sea level	
City, S	tate, ZIP Co	ode : Garden	City, KS	67846		Dat	ta Colle	ection N		legal survey	
		'S 4 DEPTH OF	COMPL	ETED WEI	LL <u>41</u>				ft.		
LOCA	TON					M	[W6				
WITH	[AN "X" []	N Depth(s) Groun	ndwater En	countered 1				ft. 2		ft. 3	ft. lay/yr 10/4/07
SECT	ION BOX:	WELL'S STA	TIC WATE	ER LEVEL	30.30	ft. be	low lar	nd surfa	ace meas	ured on mo/d	lay/yr 10/4/07
	N	Pum	test data:	Well water	r was		ft.	after		hours pump	ing gpm
		Est. Yield	gpm:	Well water	r was		ft.,	after		hours pump	ing gpm ing gpm
-NV	/— NE—	WELL WATE	R TO BE I	ISED AS: 5	Public v	vater	supply	8 Ai	r conditi	oning 11 In	niection well
1 Domestic 3 Feed lot 6 Oil field water symply 9 Desystering 12 Other (Specify below)											
W E Domestic 3 Feed to 0 On field water supply 9 Dewatering 12 Other (Speeny below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well											
SW SE SE SE STATE OF THE STATE											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs											
Sample was submitted Water Well Disinfected? Yes No X											
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped											
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded											
DVC 4 ADS 7 Fibergless Threaded Threaded											
2) FVC 4 ADS / FIDEIGIASS INTERESTED A Discourse A Dis											
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 21 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.41 ft., Weight lbs./ft. Wall thickness or gauge No.											
Casing height below land surface 0.41 ft., Weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
SCREEN-PERFORATED INTERVALS: From 21 ft. to 41 ft. From ft. to ft.											
From ft to ft From ft to ft											
CDAVELDACKINTEDVALS: From 20 4 to 41 4 From 4 to 4											
OK	AVELIA	A HATEKAALS.	From		# to		***	- A Fr	om		o
			FIOM		11.10			- 11. 11	·		011.
6 GROU	JT MATEI	EIAL: 1 Neat cen	nent 2 Co	ement grout	(3 Ben	tonite	e (4	Other	cement	t, 0-2 ft	
Grout Inte	rvals Fr	om 2 ft. to	20 fi	t. From	f	t. to		ft.	From		ft. to ft.
What is th	e nearest so	urce of possible con	tamination	ı:							
1 Sept	tic tank	4 Lateral li			10 Lives			13 Ins	ecticide (Storage	16 Other (specify
2 Sew	er lines	5 Cess pool	8 Sew	age lagoon ((11) Fuel s	torag	ge	14 Ab	andoned	water well	below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well											
	from well?				How man	ny fee	et? ~10	00 ft			
FROM	TO		LOGIC LO	<u></u>	FROI	1	TO		DI II	GGING INT	ERVAIS
			LOGIC LC	<u></u>	28	V1		Sand 1			brown, moist,
3	5	Asphalt Silty with clay und	arlain by	coarse sand					eum odo		DIOWII, IIIOISL
3	3	brown, dry, no od		coarse sand	33				covery, v		
8	10	Sand with pebbles		to coarse	- 33		- 55	110 100	overy, v	, , , , , , , , , , , , , , , , , , , 	
-		grained, brown, al				_					
		dry, no odor	Junuant 1	c staining,		+					
13	15	Sand with pebbles	coarse h	rown, drv		+					
13		no odor	, 202130, 0		 						
23	25	Sand with pebbles	coarse h	rown, moist	£.			Flushi	nount w	aiver from E	BOW
		petroleum odor	,		7	-					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged											
under my jurisdiction and was completed on (mo/day/year) 10/4/07 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (mo/day/year) 11/1/07											
under the business name of Larsen & Associates, Inc. by (signature)											
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send ton three copies to Kansas Department of Health and Environment, Bureau of Water,											
Geology Section 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367, Telephone 785-296-5522, Send one to, WALER WELL OWNER and retain one for											
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											