


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: FINNEY	$\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	11	T 24 S	R 32 E/W

Distance and direction from nearest town or city street address of well if located within city?

4760 switchgrass**terraces estates bl 2 lot 16 2**

2 WATER WELL OWNER:	GARY RANDALL	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	1517 N. UPLAND ROADK	Application Number:
City, State, ZIP Code :	GARDEN CITY, KS. 67846	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 262 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 72 ft. below land surface measured on mo/day/yr 1/23/02
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter 9 7/8 in. to 270 ft., and in. to ft.
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was sub-
	mitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter 5 in. to 242 ft., Dia	11 Other (specify)	12 None used (open hole)	
Casing height above land surface 15 in., weight 200 lbs./ft. Wall thickness or gauge No. SDR 21			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 242 ft. to 262 ft., From ft. to ft.		
	From ft. to ft., From ft. to ft.		
GRAVEL PACK INTERVALS:	From 232 ft. to 262 ft., From 202 ft. to 25 ft.		
	From ft. to ft., From ft. to ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 232 ft. to 202 ft., From 0 ft. to 25 ft., From ft. to ft.				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
Direction from well? East			How many feet? 200+	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	9	TOP SOIL			
9	17	BROWN SANDY SOIL			
17	23	FINE TO MED SAND AND GRAVEL			
23	51	BROWN AND GRAY CLAY			
51	72	FINE TO MED SAND AND GRAVEL			
72	90	BROWN SANDY CLAY			
90	130	FINE TO MED SAND AND GRAVEL			
130	148	BROWN SANDY CLAY (STICKY)			
148	172	FINE TO MED SAND			
172	180	BROWN SANDY CLAY			
180	195	FINE TO MED SAND			
195	246	BROWN CLAY			
246	262	FINE TO MED SAND (LOOSE)			
262	270	BROWN CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was reconstructed , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-24-02 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 172 This Water Well Record was completed on (mo/day/yr) 1-25-02 under the business name of Tonagan Drilling by (signature) [Signature]
