			Form WWC-5	Div	ision of Wa	iter Resoi	urces: App. No.		
		WATER WELL: Finney	Fraction SE 1/4	SIE V				Range Number	
County: Distance a	nd direction	from nearest town	or city street address of	well if G	lobal Pos	itioning	T 24 S	R 32 W	
Distance and direction from nearest town or city street address of well if located within city? 1108 N. Sixth Street, Garden City, KS Global Positioning System (decimal degrees, min. of 4 Latitude: N 37.97543°									
				Longitude: W 100.86774°					
2 WATER WELL OWNER: Rupp's Tire Service RR#, St. Address; Box # : 407 E. Kansas Ave.					Elevation: RIM: 2834.96 TOC: 2834.75				
City, State, ZIP Code : Garden City, KS 67846					Datum: above mean sea level Data Collection Method: legal survey				
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 47.5 ft.									
LOCATON MW9									
3	AN "X" I	N Depth(s) Grou	ndwater Encountered 1				ft. 3	ß ft.	
	ION BOX:	WELL'S STA	TIC WATER LEVEL	39.94 ft	. below lar	nd surfa	ce measured on mo	/dav/vr 6/19/08	
	N Pump test data: Well water was ft. after hours pumping gpm								
Est. Yield gpm: Well water was ft. after hours pumping gpm									
NW—NE— WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
_ 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
W 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (1) Monitoring well									
-sw	- sw se								
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs									
S Sample was submitted Water Well Disinfected? Yes No X									
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
1 Ste	el	3 RMP (SR) 6	Asbestos-Cement 9	Other (specify be	low)	Weld	led	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 27.5 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.21 ft., Weight Ibs./ft. Wall thickness or gauge No.									
Blank casing diameter 2 in. to 27.5 ft., Dia in. to ft., Dia in. to ft.									
Casing height below land surface 0.21 ft., Weight lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 27.5 ft. to 47.5 ft. From ft. to ft.									
SCREEN-PERFORATED INTERVALS: From 27.5 ft. to 47.5 ft. From ft. to ft.									
From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 26.5 ft. to 47.5 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 26.5 ft. to 47.5 ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3 Bentonite (4) Other Concrete: 0-24ft.									
Grout Intervals From 24 ft. to 26.5 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
	tic tank			0 Livesto			ecticide Storage	16 Other (specify	
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well									
	from well?				feet? ~1!		well/ gas well		
FROM	TO					7011.	LITHOLOGI	CLOC	
0	1		LOGIC LOG y), fine, silt, brown, with	FROM 23	TO 25	Sand o	LITHOLOGI	el and trace cobbles,	
0	1	sand, coarse, dry, no		23	25		moist, no odor	el and trace cobbles,	
3	5		noderately sorted, slightly	28	30			el and trace cobbles,	
		moist, no odor					moist, no odor, poor		
8	10		arse, light tan, poorly	33	35		yey, light brown, wit		
12	1.5	sorted, dry, no odor		- 20	10		rly well sorted, mois	t, no odor	
13	15		se, light tan, poorly sorted	38	40	As abov			
18	20	with fine gravel, slig Sand, coarse, with fi		43	50	As abov			
		cobbles, slightly mo		10	1 30		ount waiver from B(OW .	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) 6/19/08 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 7/7/08 under the business name of Larsen & Associates, Inc. by (signature)									
1				by (signat		FA		<u> </u>	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for									
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.									