WATEI	R WELL	RECORD	Form WV	WC-5	Divisi	ion of Wa	ter Reso	ources; App. No.				
County:		WATER WELL: Finney	SE 4 SE	% SE %	Se	ection Nu 7	ımber	Township Number T 24 S	Range Number R 32 W			
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits												
located within city? 310 E. Holmes, Garden City, KS  Latitude: N 37.97581°  Longitude: W 100.86716°												
2 WATI								Elevation: RIM: 2833.42 TOC: 2833.09				
City, S	RR#, St. Address, Box # : 407 E. Kansas Ave. City, State, ZIP Code : Garden City, KS 67846						Data Collection Method: legal survey					
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 50.0 ft.												
LOCATON MW10												
WITH AN "X" IN Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.												
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. SECTION BOX: WELL'S STATIC WATER LEVEL 32.06 ft. below land surface measured on mo/day/yr 6/17/08												
N Pump test data: Well water was ft. after hours pumping gpm												
Est. Yield gpm: Well water was ft. after hours pumping gpm												
NW NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well												
W   1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)												
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well												
-swse-												
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs												
S Sample was submitted Water Well Disinfected? Yes No X												
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped												
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded												
(2) 757.0 4 4 70 7 77 1												
Blank casing diameter 2 in. to 25.0 ft., Dia in. to ft Dia in. to ft.												
Blank casing diameter 2 in. to 25.0 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.33 ft., Weight lbs./ft. Wall thickness or gauge No.												
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
1 Continuous slot 3 Mill slot 5 Guaze wranned 7 Torch cut 9 Drilled holes 11 None (open hole)												
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)												
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 25 ft. to 50 ft. From ft. to ft.												
From ft. to ft. From ft. to ft.												
GRAVEL PACK INTERVALS: From 24 ft. to 50 ft. From ft. to ft.												
From ft. to ft. From ft. to ft.												
6 CPOUT MATERIAL: 1 Next coment 2 Coment group (2 Pentonite (4) Other Consents 0 2164												
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-21ft.  Grout Intervals From 21 ft. to 24 ft. From ft. to ft. From ft. to ft.												
What is the nearest source of possible contamination:												
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify												
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)												
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well												
Direction from well? S to SE  How many feet? ~125ft.												
FROM	TO	LITHO	LOGIC LOG	FRO	М	TO		LITHOLOGIC	LOG			
0	1	Brick decoration a		23			Sand.	medium to coarse, b				
3	5	Sand, medium to						, moist, no odor, no				
		slightly moist, no o		28				medium to coarse, b				
8	10	Sand, coarse, with	fine gravel, sligh					, moist, no odor, poo				
12	15	moist, no odor		33				medium grained, br	own, with silt and			
13	15	Sand, coarse, with			,			vet, no odor	•			
18	20	slightly moist, no o				40 45	As abo		· · · · · · · · · · · · · · · · · · ·			
10	20	coarse gravel, moi			_	50	As abo					
		recovery	20, 110 0401, poor					nount waiver from I	BOW			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged												
under my jurisdiction and was completed on (mo/day/year) 6/17/08 and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 7/7/08 under the business name of Larsen & Associates, Inc. by (signature)												
1				by (sig			M		•			
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send to WATER WELL OWNER and retain one for												
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.												