WATI	ER WE	LL RECORD	For	m WWC	-5	Divis	sion of Wa	ater Reso	ources; App. No.				
County:		OF WATER WELL: Finney	NW ¼	NW ½	NW	1/4	7		т 24	S	Range Number		
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digi													
located within city? 2522 N Hwy 83, Garden City Latitude: N 37.98891°													
Longitude: W 100.88297° 2 WATER WELL OWNER: Presto Convenience Stores LLC Elevation: RIM: 2845.58													
(Presto #23)													
RR#	RR#, St. Address, Box # : PO Box 609							TOC: 2845.26 Datum: above mean sea level					
City, State, ZIP Code : Andover, KS 67002-0609 Data C 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 2									lethod: legal	survey			
3 LOC	CATE WI	ELL'S 4 DEPTHO	F COMPL	ETED WE	ELL		28.0		ft.				
LOC	CATON						MW3	i					
WIT	'H AN "X	" IN Depth(s) Grou	ındwater En	countered l	l			_ ft. 2		ft. 3	ft.		
SEC	TION BO	\mathbf{DX} : WELL'S STA	TIC WATE	ER LEVEL	20.0	5 ft.	below la	nd surfa	ice measured o	n mo/d	ay/yr 8/7/08		
N Pump test data: Well water was ft. after hours pumping gpm													
X Est. Yield gpm: Well water was ft. after hours pumping gpm													
NW—NE— WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well													
W 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)													
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well													
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs Sample was submitted Water Well Disinfected? Yes No X													
	S	Sample was s	ubmitted	- 			\	Water W	ell Disinfected	i? Yes	No X		
5 TYP	E OF CA	SING USED: 5	Wrought I	ron	8 Co	ncrete	tile	CAS	ING JOINTS:	Glued	Clamped		
1 5	teel	3 RMP (SR) 6	Asbestos-	Cement	9 Ot	her (sp	ecify be	low)		Welde	d		
(2) F	VC	4 ABS 7	Fiberglass	}			-	,		Thread	led X		
Blank casing diameter 2 in. to 13.0 ft., Dia in. to ft., Dia in. to ft.													
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 13.0 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.32 ft., Weight lbs./ft. Wall thickness or gauge No.													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)													
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 13.0 ft. to 28.0 ft. From ft. to ft.													
SCREE	N-PERFO	RATED INTERVALS	S: From	13.0	ft to	0	28.0	ft Fr	om	ft to	fi		
			From		ft to	ັ ດ		ft Fr	om	ft to	ft f		
G	RAVEL	PACK INTERVALS:	From	12.0	ft to	ັ ດ	28.0	ft Fr	om	ft to	ft		
			From		ft t	o o	20.0	ff Fr	om	ft to	ft.		
((77)	X 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7												
6 GRC	DUT MA	TERIAL: 1 Neat ce	ment 2 Co	ement grou	it (3)	Benton	iite (1)Other	Concrete: 0-	2 1t			
Grout In	itervals	From 2 ft. to	o 12.0 f	t. From		II. t	0	It.	From		ft. to ft.		
		st source of possible co			10 T :		l	12 1		_	16 Other (
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify													
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well													
		ell? North	pit 9 rece	iyaiu			feet? ~8		well gas well				
			T 0010 I 00					7-1	T TOTALO	0010			
FROM 0	TO		LOGIC LOC	j	- F	26	TO 28	Sand w	LITHO				
3	5	Concrete Silty clay, brown, moist	no odor			20		no odo	ith clay, very fin	e granie	u, iaii, wei,		
8	10	Sand, medium to coarse		slight iron				no ouc	/1				
		staining, slightly moist		<u> </u>									
13	15	Sand, coarse grained, tai		ravel, poorly	y								
		sorted, some iron staini	ing, slightly n	noist, no ode	or		,						
16	26	Sand, coarse grained, tar											
		sorted, some iron stain	ing, slightly n	noist, no ode	or			Flushme	ount waiver from	n BOW			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged													
under my jurisdiction and was completed on (mo/day/year) 8/6/08 and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 9/2/08													
under the business name of Larsen & Associates, Inc. by (signature)													
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send ton three copies to Kansas Department of Health and Environment. Bureau of Water.													
Geology S	ection, 1000	SW Jackson St., Suite 420,	Topeka, Kans	as 66612-136	7. Teleph	10ne 78:	5-296-5522	2. Send of	ne to WATER WE	LL OW	VER and retain one for		
your recor	ds. Fee of \$	5.00 for each constructed w	ell. Visit us at	http://www.k	dheks.gov	v/waterv	veli.	-111					