

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:

Section-Township-Range: 18-24 S-36 WFraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NE NW NWCounty: Finney

Location changed to:

18-24 S-32 WNE NW NW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: well address, city street map, other monitoring well
records for same owner, position on plat map, and mapping
tool on KGS website. initials: DR date: 12/3/2008

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Finney		NE ¼ NW ¼ NW ¼		18		T 24 S		R 36 E/W	
Distance and direction from nearest town or city street address of well if located within city?									
601 W. Kansas, Garden City									
2 WATER WELL OWNER: Burtis Motor									
RR#, St. Address, Box # : 601 W. Kansas									
City, State, ZIP Code : Garden City, KS 67486									
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
4 DEPTH OF COMPLETED WELL 47 ft. ELEVATION: 2543.04									
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.									
WELL'S STATIC WATER LEVEL 38.9 ft. below land surface measured on mo/day/yr 4/29/2008									
Pump test data: Well water was NA ft. after hours pumping gpm									
Est. Yield NA gpm: Well water was ft. after hours pumping gpm									
Bore Hole Diameter 8 in. to 47 ft. and in. to ft.									
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Air sparge									
Was a chemical/bacteriological sample submitted to Department? Yes No ✓ If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes No ✓									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
7 Fiberglass Threaded ✓									
Blank casing diameter 2 in. to 45 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface 3590.4 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40									
TYPE OF SCREEN OR PERFORATION MATERIAL									
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 45 ft. to 47 ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 42 ft. to 47 ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 42 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? How many feet?									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 0.5 Concrete,									
0.5 5 Clay, silty, moist, no odor, Brown									
5 8 Silt, clayey, moist, no odor, Yellowish Brown									
8 11 Sand (vf-f), moist, no odor, Yellowish Brown									
11 15 Sand (f-c) w/f-m gravel, moist, Brown									
15 18 Silt, sandy, clayey, Grayish Brown									
18 25 Sand (f-c) w/occ. f gravel, moist, Gray									
25 35 Sand (vf-c) w/f-m gravel, moist, Gray									
35 42 Sand (f-c) w/f-c gravel, saturated, Gray									
42 47 Sand (f-c) w/f-m gravel, Grayish Brown									
AS2, Tag # 0042673, Flushmount									
Project Name: GF - Burtis Motor									
GeoCore # 1440, KDHE # U1 028 00189									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/25/2008 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 8/22/2008									
under the business name of GeoCore, Inc. by (signature) Dale Hall									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									