CORRECTION(S) TO	WATER	WELL	RECORD	(WWC-5)
(to rectify lac	king or ind	correct in	nformation)	

(to rectify lacking of incorrec	Country
Location listed as:	County: Finney Location changed to:
Section-Township-Range: 18-24 5-36 W	18-245-32 W
Fraction (1/4 1/4 1/4):	NE NW NU
Other changes: Initial statements:	
Changed to:	
Comments:	
	7.7171.671
verification method: Well address, city stre	et map, other monitoring well
verification method: Well address, city stre records for same owner, position	on plat map, and mapping
tool on KGS website,	initials: DRL date: 12/3/2008
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Co	nstant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

-			WATE	R WELL RECORD	Form WW0	C-5 KSA 8			
		ATER WELL:	Fraction		_	ection Numb			Range Number
	Finney		NE 1/4		N 1/4	18	T 24	S	R 36 EW
		on from nearest to Garden City	own or city street	address of well if locat	ed within ci	ty? 			
2 WATE	ER WELL C	WNER: Burtis	Motor						
,	Address, Bee, ZIP Code		. Kansas n City, KS 67486	•			Board of Agrice Application Nur	-	sion of Water Resources
		LOCATION	ADEPTH OF CO	OMPLETED WELL	46	f FIF			843.19
WITH	AN "X" IN S	SECTION BOX:							3
⊼	X	N							yr
T I	i								mping gpm
	N W	NE NE							mping gpm
<u>≅</u>									. to ft.
1 Mile		 		TO BE USED AS: 5			8 Air conditionin		Injection well
			1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering	(12)	Other (Specify below)
1 1	~ ~ SW ~ ~	SE	2 Irrigation						Air sparge
	1	!		l/bacteriological sample	e submitted				mo/day/yr sample was
		S	submitted	,		V	Vater Well Disinfecte	a? Yes	No
<u> </u>		CASING USED:		5 Wrought iron		crete tile			d Clamped
1 S		3 RMP (SF	₹)	6 Asbestos-Cement		r (specify be	,		ed
2°		4 ABS		7 Fiberglass					aded.
1	-								. in. to ft.
1	-			in., weight	_			• •	lo Sch. 40
=		R PERFORATION		::	(7)P			estos-cem	
1 S		3 Stainless		5 Fiberglass	8 R)
	rass	4 Galvaniz		6 Concrete tile	9 A	_		e used (op	· }
		RATION OPENING			d wrapped		8 Saw cut		11 None (open hole)
	continuous souvered should		ey punched	7 Torch	wrapped		9 Drilled holes		
l		TED INTERVALS:	Erom			ft I			to ft.
CONCEIN	I LIN OIV	ILD INTERVALO.							to ft.
(SRAVEL PA	CK INTERVALS:	From	. 41 ft. to	46	ft., I	From	ft.	to ft.
									to ft.
6 GROU	MATERIA	L: 1 Neat	cement :	2 Cement grout	3 Bent	tonite	4 Other		
									ft. to ft.
•		ource of possible					estock pens		bandoned water well
1 Sep	tic tank	4 Later	al lines	7 Pit privy		11 Fu	el storage	15 O	il well/Gas well
2 Sew	er lines	5 Cess	pool	8 Sewage lago	on	12 Fe	rtilizer storage	16 O	ther (specify below)
	ertight sewe	er lines 6 Seep	age pit	9 Feedyard			secticide storage		
Direction							any feet?		
FROM	то		LITHOLOGIC	_OG	FROM	TO	PL	JGGING IN	MERVALS
0	1 7	Concrete and							
1 7	7	Clay, silty, mo							
7	11			Yellowish Brown					
11	16			own to Yellowish					
16 22	22 26	Sand (f-c) w/d			-	-			
26	35	Sand (f-c) w/f Sand (f-c) w/f				 			
35		Sand (f-c) w/f			1				
43	46			own to Grayish Bro					
	70	Sanu (I-C) W/I	m gravel, DIC	wh to Grayish Dr					
							AS4 , Tag # 0042675	, Flushma	ount
							Project Name: GF -		
							GeoCore # 1440, K		
7 CONTR	ACTOR'S	R LANDOWNER	'S CERTIFICATION	ON: This water well wa	s (1) constr	ructed. (2) re			
				7/25/2008					knowledge and belief.
				. 52 7 This					A 8/22/2008.
	business na			Core, Inc.		by (sigr			
								-	·····