

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Finney

Location listed as:

Location changed to:

Section-Township-Range: 18-24 S-36 W

18-24 S-32 W

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NE NW NW

NE NW NW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: well address, city street map, other monitoring well
records for same owner, position on plat map, and mapping
tool on KGS website, initials: DRF date: 12/3/2008

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number		Range Number	
County: Finney		NE ¼ NW ¼ NW ¼	18		T 24 S		R 36 E	
Distance and direction from nearest town or city street address of well if located within city?								
601 W. Kansas, Garden City								
2 WATER WELL OWNER: Burtis Motor								
RR#, St. Address, Box # : 601 W. Kansas								
City, State, ZIP Code : Garden City, KS 67486								
Board of Agriculture, Division of Water Resources								
Application Number:								
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL 45.5 ft. ELEVATION: 2843					
<div><div>1 Mile</div><div>W</div><div>E</div><div>S</div><div>N</div><div>X</div><div>NW</div><div>NE</div><div>SW</div><div>SE</div></div>			Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.					
			WELL'S STATIC WATER LEVEL . . . 38.8 . . . ft. below land surface measured on mo/day/yr . . . 4/29/2008					
			Pump test data: Well water was . . . NA . . . ft. after hours pumping gpm					
			Est. Yield . . NA . . . gpm: Well water was ft. after hours pumping gpm					
			Bore Hole Diameter . . . 8 . . . in. to . . . 46 . . . ft., and in. to ft.					
WELL WATER TO BE USED AS:			5 Public water supply 8 Air conditioning 11 Injection well					
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering			12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring			Air sparge					
Was a chemical/bacteriological sample submitted to Department? Yes.....No✓			If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes No✓								
5 TYPE OF BLANK CASING USED:								
1 Steel 3 RMP (SR)			5 Wrought iron 8 Concrete tile			CASING JOINTS: Glued Clamped		
2 PVC 4 ABS			6 Asbestos-Cement 9 Other (specify below)			Welded		
Blank casing diameter 2 . . . in. to . . . 43.5 . . . ft. Dia in. to ft. Dia in. to ft.			7 Fiberglass			Threaded. ✓		
Casing height above land surface -4.8 . . . in., weight lbs./ft. Wall thickness or gauge No. Sch. 40								
TYPE OF SCREEN OR PERFORATION MATERIAL								
1 Steel 3 Stainless steel 5 Fiberglass			7 PVC 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile			8 RMP (SR) 11 Other (specify)					
SCREEN OR PERFORATION OPENINGS ARE:			5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
1 Continuous slot 3 Mill slot 6 Wire wrapped			9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut			10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 43.5 . . . ft. to 45.5 . . . ft. From ft. to ft.								
GRAVEL PACK INTERVALS: From 40 . . . ft. to 46 . . . ft. From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 4 . . . ft. to 40 . . . ft. From ft. to ft. From ft. to ft.								
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy			10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon			11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard			12 Fertilizer storage 16 Other (specify below)					
Direction from well?			13 Insecticide storage					
			How many feet?					
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS								
0 0.5 Concrete,								
0.5 3 Clay, silty, moist, no odor, Dark Brown								
3 7 Clay, silty, moist, Lt. Brown to Yellowish Bro								
7 8 Silt, moist, no odor, Yellowish Brown								
8 12 Sand (vf-f), moist, Yellowish Brown								
12 22 Sand (vf-c), moist, Yellowish Brown to Lt. Bro								
22 29 Sand (vf-c), moist, sl. bacterial odor, Gray								
29 34 Sand (f-c) w/f-c gravel, moist, Dark Gray								
34 39 Sand (f-c) w/f-m gravel, saturated, Gray								
39 46 Sand (f-c) w/f-m gravel, Grayish Brown								
AS3, Tag # 0042674, Flushmount								
Project Name: GF - Burtis Motor								
GeoCore # 1440, KDHE # U1 028 00189								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/25/2008 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 8/22/2008 under the business name of								
GeoCore, Inc. by (signature) <i>[Signature]</i>								

7/