WATE	R WELL R	ECORD	Form WWC	-5	Division of Wate	er Resources; App. No.	
		WATER WELL:				Township Number	
Coun	ity: Finney_		SE 1/4 SE 1/4 S		6	T 24 S	R 32 E/W
			or city street address of w	ell if		Systems (decimal deg	rees, min. of 4 digits)
located within city? 501 W. Mary Street - Garden City, KS					Latitude: 37°59'23.28388N		
2 WATER WELL OWNER: Son Xuan Cao					Longitude: 100°52'31.36763W		
	, St. Address,	Doy # Express Corne	r		Elevation: 2845.	45 TOC	
	, State, ZIP Co				Datum:		
				7 25		Method: GPS Trimi	ole 5700
	CATE WELL [:] CATION	S 4 DEPTH OF CO	OMPLETED WELL?		ft.		
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)						
	SECTION BOX: WELL'S STATIC WATER LEVEL 20.44ft. below land surface measured on mo/day/yr4-2-09						
020	N Pump test data: Well water wasft. after						
Est. Yield2gpm: Well water wasft. after hours pumpinggpm							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
w E I Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well MW-4							
SW SE VV							
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
Sample was submitted							
	S						
	E OF CASING	JUSED: 5 Wrou	ght Iron 8 Con	crete tile	CASIN	G JOINTS: Glued	Clamped
	Steel 3 F PVC 4 A	RMP (SR) 6 Asber	stos-Cement 9 Othe	r (specify	y below)	Weided	······································
Blank C	asing diameter	ABS 7 Fibers	ft., Diameter		in to ft	Diameter Timeadec	in to ft
Casing I	height above la	and surface05	in., Weight.0.70.		lbs./ft. Wall th	ickness or guage No.	schedule 40
Casing height above land surface							
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 0.020 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
From							
GRAVEL PACK INTERVALS: From 15. ft. to .27 ft., From ft. to							
From							
	UT MATERI	AL: 1 Neat cement	2 Cement grout 3 Be	entonite	4 Other		
Grout Intervals: From 1. ft. to 15 ft., From ft., to ft., From ft.							
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify							
							below)
	Watertight sev					il well/gas well	
	_	or man a pooling i					
FROM	,		GIC LOG	FRON		PLUGGING INT	
0		ity Clay					711174
11.5	15 S	and					
15	23 G	ravelly sand					
23	27si	Ity clay					
				-		no.	
			A CONTRACTOR OF THE CONTRACTOR				
	-						
			•	-			
-		The second secon					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 3-25-09							
Kansas Water Well Contractor's License No. 5544 783. This Water Well Record was completed on (modday/year) 4-20-09.							
under the business name of Woofter Pump & Well by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline of circle the correct answers. Send top							
INSTRU	CTIONS: Use ty	pewriter or ball point pen.	PLEASE PRESS FIRMLY and				
785-296-5			onment, Bureau of Water, Geol OWNER and retain one if				
	w.kdhe.state.ks.us			,			