CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)

Location listed as:	County: Finney Location changed to:
Section-Township-Range: None Given	9-245-32W
Fraction (1/4 1/4 1/4):	NW SW SW SW
Other changes: Initial statements:	
Changed to:	· .
Comments:	
verification method: Wellsite address,	city street map, other wells
verification method: Wellsite address, for same owner nearby, and on KGS website.	mapping tool & arrial photos
submitted by: Kansas Geological Survey, Data Resources Library, 19	
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 S	·

nωl

\mathbf{W}_{A}	ATER WELL PLUGGING I	RECORD	Form WV	VC-5P	KSA 82	a-1212 ID N	io. L	0183337		
1	LOCATION OF WATER WELL:			Section		Township Num		Range Number		
	County: Finney	1/4	1/4 1/4	1/4			S	□E □W		
	Street/Rural Address of Well Location; if unknown, distance & Global Positioning Systems (GPS) information:									
	direction from nearest town or intersection: If at owner's address, check here 1/2 4403 N. Carrage Dr. Cardon City VS 67846 Longitude:									
	check here	. Garden City	, KS 67846	Elevation:						
				S84, NAI	D83,	☐ NAD27				
					Collection Method:					
2	RR#, St. Address, Box #:				GPS unit (Make/Model:					
	City, State ZIP Code:	Est. Accuracy: □ < 3 m, □ 3-5 m, □ 5-15 m, □ > 15 m								
3	MARK WELL'S LOCATION	4 DEPT	H OF WELL	65	ft					
	WITH AN "X" IN SECTION									
	BOX:	1	'S STATIC W		EL	ft				
		WELL	L WAS USED A	AS:						
	NW NE		mestic [Dublic V	Water Supp	olv 🗆 🗆	Dewate	ring		
		│ ☐ Irri	gation		d Water Su		Monito			
W	E		edlot		ic (Lawn &	Garden) I		on Well		
	SW SE	L Ind	ustrial L	Air Con	ditioning		Other _			
		Was a	chemical/bacter	iological san	nple submi	tted to Departmen	ıt? Ye	s П No П		
	S									
5	TYPE OF BLANK CASING USE	ED:								
	Steel RMP (SR)	Wrought	П	Fiberglass	П	Other (Specify be	low)			
	Steel RMP (SR) ABS	Asbestos-C	Cement 📙 C	Concrete Tile	;	other (speerly be	1011)			
			_		_					
	Blank casing diameter 2 in. Casing height above or below land	Was casing	g pulled? Yes L	∐ No L	If yes, ho	w much				
	Casing neight above of below land	surface								
6	GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other									
	Grout Plug Intervals: From 0 ft. to 65 ft., From ft. to ft., From to ft.									
	What is the nearest source of possible contamination:									
	Septic tank Seepage pit Fuel Storage Other (specify below) Sewer lines Pit privy Fertilizer storage									
		ewage lagoo	n Insect	icide storage						
	Lateral lines F	eedyard	Aband	doned water		rection from well?	?			
	Cess pool L	ivestock pen	s 🔲 Oil w	ell/Gas well	Но	w many feet?				
	FROM TO PLUC	GING MAT	ERIALS	FROM	ТО	PLUGG	ING M	MATERIALS		
	0 65 Bentonite he		LIGITLO	1 ROW	10	12000	ZIAO IV	MILKIALS		
	- Donorito II	o piug								
						-				
					-		-			
7	CONTRACTOR'S OR LANDOV	VNER'S CI	RTIFICATIO	N: This u	ater well	was plugged und	ler mu	jurisdiction and was		
	pleted on (mo/day/year) 6/18/2009	THERE'S CI								
Wel	completed on (mo/day/year) 6/18/2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 728 . This Water Well Record was completed on (mo/day/year) 06/30/2009 under the									
business name of JC Drilling by (signature)										
INSTRUCTIONS: Head transporter or hellmoint may Discourse South and south in the City of t										
INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW										
Jack	sson St., Ste. 420, Topeka, Kansas 60	6612-1367.	Felephone: 785	/296-5524.	Send one to	o Water Well Ow	ner and	d retain one for your		
reco	ords. Visit us at http://www.kdheks.	gov/waterwe	ll/index.html.							
Check one:										

