## CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)

Location listed as:	County: Finney Location changed to:
Section-Township-Range: None Given	9-245-32W
Fraction ( 1/4 1/4 1/4):	NW SW SW SW
Other changes: Initial statements:	
Changed to:	· · · · · · · · · · · · · · · · · · ·
Comments:	····
verification method: Wellsite address, cit for same owner nearby, and map on the website.  submitted by: Kansas Geological Survey, Data Resources Library, 1930 Consto: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson	stant Ave., Lawrence, KS 66047-3726

## MW7

W	ATER WELL PLUGGING F	RECORD	Form WW	/C-5P	KSA 82	a-1212 ID NO.	0183083		
1	LOCATION OF WATER WELL:	Fraction		Section	Number	Township Number	Range Number		
	County: Finney			1/4 Clobal Po	citioning 6	T S	E W		
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here 1102 N. Campus Dr. Garden City, KS 67846  Global Positioning Systems (GPS) information:  Latitude:  Longitude:  Elevation:  Datum:  WGS84,  NAD83,  NAD27								
	Datum: WGS84, MAD83, MAD27								
2	WATER WELL OWNER: Kwik Shop #701 RR#, St. Address, Box #:  GPS unit (Make/Model: Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey								
	City, State ZIP Code:			Est. Accura	<u>cy</u> :	3 m, 3-5 m, 3	5-15 m, □ > 15 m		
3	MARK WELL'S LOCATION	4 DEPTI	H OF WELL	56	ft				
	WITH AN "X" IN SECTION								
	BOX:	1	'S STATIC WA		EL	ft			
		WELL	WAS USED A	.S:					
	NW NE	1	nestic	Public V	Vater Supp	ly Dewa	tering		
W	, — Е		gationdlot	Oil Field	d Water Su		toring ion Well		
**			I	1	ditioning				
	SW SE								
		Was a c	hemical/bacter	ological san	nple submi	tted to Department? Y	es No		
5	TYPE OF BLANK CASING USE	L					3 A 1 - A 1		
	Steel RMP (SR)	Wrought Asbestos-Co				Other (Specify below)			
	✓ PVC ABS	] Asbestos-Ce	ement $\square$	Concrete Tile	-				
	Blank casing diameter 2 in.	Was casing	pulled? Yes	No 🗌	If yes, ho	ow much 10 ft.			
	Casing height above or below land	surface	in.						
6	GROUT PLUG MATERIAL:	☐ Neat cem	ent L Cem	ent grout	✓ Bentor	nite U Other			
	Grout Plug Intervals: From 0	ft to 5	66 A F	rom	ft to	ft From	to ft		
	Grout Flug Intervals.	11. 10_	1,		_ 11. 10				
	What is the nearest source of possib				_	04- ( '6 1 1)			
	Septic tank Sewer lines	eepage pit it privy	Fuel	Storage zer storage		Other (specify below)			
	Watertight sewer lines S	lewage lagoor	Insect	icide storage					
	Lateral lines F	eedyard	Abanc	loned water		rection from well?			
	Cess pool	ivestock pens	i ∐ Oil w	ell/Gas well	Но	w many feet?			
	FROM TO PLUC	GGING MAT	ERIALS	FROM	ТО	PLUGGING	MATERIALS		
	0 56 Bentonite h								
					L	L			
7	CONTRACTOR'S OR LANDON pleted on (mo/day/year) 6/18/2009	vner's ce	RTIFICATIO	N: This w	ater well	was plugged under n	ny jurisdiction and was		
We	completed on (mo/day/year) 6/18/2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 728 . This Water Well Record was completed on (mo/day/year) 06/30/2009 under the								
business name of JC Drilling by (signature)									
DISTRICTIONS II									
INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW									
	kson St., Ste. 420, Topeka, Kansas 6								
	ords. Visit us at http://www.kdheks.						·		
Check one: White Copy Blue Copy Pink Copy									

