CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)

Location listed as:	County: Finney Location changed to:						
Section-Township-Range: //- 32 5-24 W	11-24 5-32 W						
Fraction (1/4 1/4 1/4):	SE NW SW						
Other changes: Initial statements:							
Changed to:							
Comments:							
verification method: Written & legal descriptions, well owner's							
address, area road map, and mapping tool \$ aerial							
verification method: Written & legal descriptions, well owner's address, area road map, and mapping tool & aerial photos on KGS website. initials: DRL date: 7/21/2010							
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Consto: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson	stant Ave., Lawrence, KS 66047-3726						

		VATER WELL RECORD F	orm WWC-5	KSA 82	a-1212			
1 LOCATION OF WATE	R WELL: Fraction		\	tion Number			ange Number	
County:	rom postest town or city etr	reet address of well, if located	yithin city?		T 32	, S R	24 €00	
Distance and direction i		may st	~ Fay	1 /	01 4	East		
O MATER MELL OWA		V HEADE	ray	sund 1	14m	Casi		
2 WATER WELL OWN	1		h		Deard of As	wier Marie Division	of Mater Becourse	
RR#, St. Address, Box		-			Board of Agriculture, Division of Water Resource Application Number:			
City, State, ZIP Code			67846					
J LOCATE WELL'S LO		OF COMPLETED WELL						
N	Depth(s) Gi	roundwater Encountered 1.		ft.	2	ft. 3	79-10tr.	
Ŧ		TATIC WATER LEVEL						
NW	• = Nt ==	Pump test data: Well water						
1 1 1		gpm: Well water						
* W X !	———— ₹	Diameter/in. to .						
<u> </u>			Public water		8 Air conditioning	•		
1 sw	SE				9 Dewatering			
	2 Irriga				10 Monitoring well	,		
 		nical/bacteriological sample su	ibmitted to Di	•				
<u>-</u> <u>s</u>	mitted				ater Well Disinfected			
5 TYPE OF BLANK CA		5 Wrought iron	8 Concre			ITS: Glued 💢		
1 Steel	3 RMP (SR)	6 Asbestos-Cement		(specify belo	•			
(2) VC	4 ABS	7 Fiberglass						
•		2.4.9ft., Dia						
		in., weight			./ft. Wall thickness of			
	PERFORATION MATERIA		(7. P.Y			estos-cement		
1 Steel	3 Stainless steel	5 Fiberglass	8 RM	` '		r (specify)		
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB	S		e used (open hole)		
	ATION OPENINGS ARE:		d wrapped		8 Saw cut	11 No	ne (open hole)	
1 Continuous slot		6 Wire w	• •		9 Drilled holes			
2 Louvered shutte		249 7 Torch		9	10 Other (specify)			
SCREEN-PERFORATE		ft. to	,		om			
CDAVEL DAC	From K INTERVALS: From	30 ft. to	~ 71		om			
GRAVEL FAC	From	240 ft. to	269	ft., Fro		ft. to	ft	
6 GROUT MATERIAL:		2 Cement grout	3 ento		Other			
_		. 3. 0 . ft., From 2						
	irce of possible contamination		P		stock pens	14 Abandone		
Septic tank	4 Lateral lines	7 Pit privy			l storage	15 Oil well/G		
2 Sewer lines	5 Cess pool	8 Sewage lago	on		ilizer storage	16 Other (spe		
3 Watertight sewe	•	9 Feedyard			cticide storage			
Direction from well?	Eu	<i>s</i> t			any feet?	B		
FROM TO	LITHOLO	OGIÇ LOG	FROM	ТО		JGGING INTERVA	iLS	
08	700 Sa	\mathcal{D}						
8 40	Brown Sa	ndy day (Hotat	Rodo					
100 50	Fris & bee	1 Sand Hara	100		- A	101	<i>'</i>	
80 90	Bearing of	Devel	190	185	Jens Wh	ad said		
90 91	Roch		185	205	Bean.	Sandy day		
91 100	Brown de	m	245	210	Find & /	ned Suit		
100 110	Fin to be	I Sand & quant	510	234	Rion	Send de	4	
	Ad at Ro	eh.	2011	226	9 5 8	Let Sa	24	
110 111	Resum Sa	My day	237	ajo	and w			
12/0	True Dr La	d' Send	238	25%	Brown	any clay		
120 121	O. mench	7	207	21/	T 8	ped Sand	again !	
124 134		1	00/	200	mou		<i>y</i>	
136 140	lene son	Lacher	2/16	2711	Beaudo	<u> </u>		
140 149	Brow son	7-7	-, -,			<u> </u>		
149 170	Brown ch	'uy						
7 CONTRACTOR'S O	R LANDOWNER'S CERTIF	ICATION: This water well wa	seonstru	cted. (2) rec	constructed, or (3) pl	ugged under mv i	urisdiction and wa	
completed on (mo/day/y	0 - 7	9-09			ord is true to the bes			
Water Well Contractor's	A	C This Water We	ell_Record wa			6-1-1	0	
under the business nam		1 N UL . A A	Servin		11-0	2		
		RESS FIRMLY and PRINT clearly. Plea				nd top three copies to	Kansas Department	
		is 66620-0001. Telephone: 913-296-55						