WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: Finney	Fraction - 1/4 NW 1/4 SE 1/4 SE 1/4	Section Number Township No. Range Number
Street/Rural Address of Well Location		Global Positioning System (GPS) information:
from nearest town or intersection: If a 101 S. 4TH ST.		Latitude: .N-37,96322 (in decimal degrees) Longitude: W-100.87008 (in decimal degrees)
Garden City, KS	MW 10-2	Elevation: unknown Datum: WGS 84, NAD 83, NAD 27
RR#, Street Address, Box #: PO Bo	on Env. Mngmt. Company ox 430: BOB. E536C	Collection Method: ☐ GPS unit (Make/Model: Garmin Geko 101)
	re, TX 77401	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m,
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .55		
SECTION BOX: Depth(s) Grou	ndwater Encountered (1).45	ft. (2) ft. (3) ft. below land surface measured on mo/day/yr
Pun	np test data: Well water was	ft. after hours pumping gpm
EST. YIELD.	<50gpm. Well water was	ft. after hours pumping gpm
		t., andin. toft.
	R TO BE USED AS: Public water	er supply Geothermal Injection well Triple Geothermal Other (Specify below)
SW - SW - SE - Domestic Feediot Oil field water supply Dewatering Other (specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No		
S If yes, mo/day/yr sample was submitted		
Water well disinfected?		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter .2 in. to .55 ft., Diameter in. to ft., Diameter in. to ft.		
Casing height above land surface. 30 in., Weight 0.682 lbs./ft., Wall thickness or gauge No0.154"		
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)		
SCREEN-PERFORATED INTERVALS: From		
	From ft. to	ft., From ft. to ft.
GRAVEL PACK INTERVALS: From		
From		
Grout Intervals: From 0		
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)		
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well		
Direction from well		from well
	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 5 yellowish br, silty sar		
5 55 yellowish brown, san	d	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged		
under my jurisdiction and was completed on (mo/day/year) .10/27/2010 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No616 This Water Well Record was completed on (mo/day/year) 1/24/2011		
under the business name of Thiele Geotech, Inc. by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212 Check: White Copy, Dink Copy		