


1 LOCATION OF WATER WELL:			Fraction	Section Number	Township Number	Range Number		
County: Finney			SE 1/4	SE 1/4	SE 1/4	7	T 24 S	R 32 W
Distance and direction from nearest town or city street address of well if located within city? 407 E. Kansas, Garden City, KS								
2 WATER WELL OWNER: Rupp's Tire Service			Board of Agriculture, Division of Water Resources					
RR#, St. Address, Box # : 407 E. Kansas Ave.			Application Number:					
City, State, ZIP Code : Garden City, KS 67846								
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL 50 ft. ELEVATION:					
			Depth(s) Groundwater Encountered 1.5 ft. 2 ft. 3 ft. Ft.					
			WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr					
			Pump test data: Well water was Ft. after hours pumping Gpm					
			Est. Yield Gpm: Well water was Ft. after Hours pumping Gpm					
			Bore Hole Diameter 8.625 in. to 50 ft. and in. to Ft.					
			WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
			1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
			2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well AS-4					
			Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Submitted Water Well Disinfected? Yes No X					
5 TYPE OF BLANK CASING USED:			5 Wrought Iron 6 Asbestos-Cement 7 Fiberglass Ft., Dia			CASING JOINTS: Glued Welded Threaded X		
1 Steel 3 RMP (SR)			8 Concrete tile 9 Other (specify below)					
2 PVC 4 ABS								
Blank casing diameter 2 in. to 48 Dia			In. to ft. Dia			in. to ft.		
Casing height above land surface FLUSH in., weight			SCH 40			Lbs./ft. Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL:			7 PVC			10 Asbestos-cement		
1 Steel 3 Stainless steel			5 Fiberglass			8 RMP (SR)		
2 Brass 4 Galvanized steel			6 Concrete tile			9 ABS		
SCREEN OR PERFORATION OPENINGS ARE:			5 Gauzed wrapped			8 Saw cut		
1 Continuous slot 3 Mill slot			6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key punched			7 Torch cut			10 Other (specify)		
SCREEN-PERFORATED INTERVALS: From 48 ft. to 50			ft. From 46 ft. to 50			ft. From 46 ft. to 50		
SAND PACK INTERVALS: From 46 ft. to 50			ft. From 46 ft. to 50			ft. From 46 ft. to 50		
6 GROUT MATERIAL: 1 Neat cement			2 Cement grout		3 Bentonite		4 Other	
Grout Intervals From 2 0.5 ft. to 3			Ft. From 3 3 ft. to 46		Ft. From 46 ft. to 50		Ft. From 50 ft. to 50	
What is the nearest source of possible contamination:								
1 Septic tank			4 Lateral lines			7 Pit privy		
2 Sewer lines			5 Cess pool			8 Sewage lagoon		
3 Watertight sewer lines			6 Seepage pit			9 Feedyard		
10 Livestock pens 14 Abandoned water well								
11 Fuel storage			12 Fertilizer storage			13 Insecticide storage		
15 Oil well/ Gas well			16 Other (specify below)			Contaminated Site		
Direction from well? How many feet?								
FROM	TO	CODE	LITHOLOGIC LOG			FROM	TO	PLUGGING INTERVALS
0	8		Clay, silty					
8	40		Sand, fine to medium grained					
40	50		Sand, medium grained					
50	TD		End of Borehole					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w Completed on (mo/day/yr) 06/06/12 And this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 07/03/12 under the business name of Associated Environmental, Inc. By (signature) Bradley J. Johnson INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.								