


1 LOCATION OF WATER WELL:		Fraction County: Finney	SE $\frac{1}{4}$	SE $\frac{1}{4}$	SE $\frac{1}{4}$	Section Number 7	T 24 S	Range Number R 32 W
Distance and direction from nearest town or city street address of well if located within city? 407 E. Kansas, Garden City, KS								
2 WATER WELL OWNER: Rupp's Tire Service RR#, St. Address, Box # : 407 E. Kansas Ave. City, State, ZIP Code : Garden City, KS 67846					Board of Agriculture, Division of Water Resources Application Number:			
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered 1.5			50 ft. ELEVATION: ft. 2 ft. 3			Ft.
		WELL'S STATIC WATER LEVEL Pump test data: Well water was			ft. below land surface measured on mo/day/yr Ft. after hours pumping			Gpm
Est. Yield Gpm:		Well water was			Ft. after Hours pumping			Gpm
Bore Hole Diameter 8.625 in. to		50			ft. and in. to			Ft.
WELL WATER TO BE USED AS:		5 Public water supply 1 Domestic 3 Feed lot 6 Oil field water supply 2 Irrigation 4 Industrial 7 Lawn and garden (domestic)			8 Air conditioning 11 Injection well 9 Dewatering 12 Other (Specify below)			
Was a chemical/bacteriological sample submitted to Department? Yes		Submitted			10 Monitoring well			AS-7
Water Well Disinfected? Yes No X If yes, mo/day/yr sample was No X								
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS					CASING JOINTS: Glued Welded Clamped Threaded X			
Blank casing diameter 2		in. to 48	Ft., Dia	In. to		ft., Dia	in. to	ft.
Casing height above land surface		FLUSH	In., weight	SCH 40		Lbs./ft. Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS:		From 48	Ft. to 50	ft. From	ft. to	ft.	ft. to	ft.
SAND PACK INTERVALS:		From 46	Ft. to 50	ft. From	ft. to	ft.	ft. to	ft.
6 GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other			
Grout Intervals		From 2	Ft. to 0.5	Ft. From 3	Ft. to 3	ft. From 46	Ft. to	ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/ Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Contaminated Site								
Direction from well? How many feet?								
FROM	TO	CODE	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
0	9		Clay, silty					
9	40		Sand, medium to fine grained					
40	50		Sand, medium grained					
50	TD		End of Borehole					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w								
Completed on (mo/day/yr)		06/05/12			And this record is true to the best of my knowledge and belief. Kansas			
Water Well Contractor's License No.		585			This Water Well Record was completed on (mo/day/yr) 07/03/12			
under the business name of		Associated Environmental, Inc.			By (signature) Bradley J. Johnson			
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.								