-		V-18-04-04-04-04-04-04-04-04-04-04-04-04-04-			WELL RECO	DRD Forr			32a-1212				
	ON OF WATE				er -	~-		tion Nun	l	Township No		Range Number	
	Fin			1/4			thin city?			<u>T 24</u>	<u> </u>	R 32	W
Distance an	u airection troi	iii riearest	town or city stre		407 E. K			y, KS					
			p's Tire Se										
RR#, St. Ad	ldress, Box#	: 407	E. Kansas	Ave.						Board of Agric	ulture, Div	ision of Water Resourc	es
City, State,	ZIP Code	Gar	den City, K	S 6784	16					Application Νι	ımber:		
3 LOCATE AN "X" II	WELL'S LOC N SECTION B	CATON WI OX:	T   DEPTH	OF CO	MPLETED \	WELL	40	ft. E	ELEVATI	ON:			
, pres	M		Depth(s) G	roundwa	iter Encoun	tered 1.5			ft. 2		ft.	3	Ft.
1	!	!										/yr	, , ,
	NW <b>-</b>	NE										oumping	
ag W			Est. Yield		Gpm: \	Well water v	vas		Ft. af	ter	Hours	pumpingGp	om
- V		SE	WELL WAT	Jiametei TER TO nestic	BE USED A	in. to AS: 5 Pul 6 Oil	olic water si field water	upply supply	п. а	and 8 Air conditio 9 Dewatering	ning 1	n. to 1 Injection well 2 Other (Specify belov	ν)
	!	i l	2 Irrig	ation	4 Industria	al 7 Lav	wn and gard	den (don	nestic)	10 Monitoring	well	SVE-3	
*   _		<u> </u>										, mo/day/yr sample wa	s
	S		Submitted									No X	
5 TYPE O	F BLANK CAS	ING USE		,	5 Wrought	t Iron	8 Concr	ete tile				d Clamped	
1 Ste			1P (SR)		6 Asbesto						Weld		
2 PV	C	4 AB			7 Fibergla	ss					Thre	aded X	
3usonumer			•		Ft.,					pro t _			
Blank casing	g diameter	<u>.</u> . <del>4</del>	in. to	15	Dia		ln. 1 ב	to	ft	., Dia		in. to	ft.
Casing heig	ht above land	surface	FLUOT	In.	, weight	50	,H 40 	Lb	s./ft. Wa	10 Asbe	gauge No	)	
1 Ste			ΠΟΝ MATERIAI ainless steel		5 Fibergla	ee			The second secon	PRODUCTION OF THE PROPERTY OF		#11L	
2 Bra			Ivanized steel		6 Concrete			ABS		12 None			
	R PERFORAT					5 Gauzeo						11 None (open hole)	
1 Co	ntinuous slot		3 Mill slot	- 7		6 Wire wi	rapped			Drilled holes			
2 Lou	uvered shutter		4 Key punche			7 Torch o							
SCREEN-P	ERFORATED	INTERVA										to	
									ft. From		ft.	to	Ft.
1AS	ND PACK INT	ERVALS:			<b>3</b> ft		40					to	
						. to		Market Market Street			·		Ft.
6 GROUT	MATERIAL:	1 Ne	eat cement	2 C	ement grou Ft.	<u>t</u> ]	3 Ben Ft.	tonite	4 (	Other		******************	
Grout Interv	als From2	0.5	ft. to	3	From3	3	to		13	ft. From		ft. to	ft.
			ole contaminatio		· <del>-</del>							andoned water well	
1 Se <sub>l</sub>	ptic tank		4 Lateral	lines	7	Pit privy		11 F	Fuel stora	age	15 <u>Oil</u>	well/ Gas well	
2 Ser	wer lines		5 Cess po	ool	8	Sewage la	agoon	12 F	ertilizer	storage		her (specify below)	
l	atertight sewer	lines	6 Seepag	e pit	9	Feedyard				e storage	Co	ntaminated Site	1
Direction fro	T	<b>.</b>					I		nany feet		1000110	TEDIALO	
FROM	TO	CODE		THOLOG	SIC LOG		FROM	ТО	<u> </u>	PLU	JGGING II	NTERVALS	
9	9 40		Clay, silty Sand, medi	um ar	rainad			<del> </del>					_
40	TD		End of Bore		ameu								
				· · · · · · · · · · · · · · · · · · ·									_
					. , ,			-					-
								-					
7 CONTR	ACTOR'S OR	LANDOW	NED'S CEDTIE	CATION	d. This wat	er well wee	(v) constru	cted (2)	reconstr	ucted or (3) n	lugged up	der my jurisdiction and	\\\
						ei well was						der my jurisdiction and dge and belief. Kansas	
Water Ma"	Contractor's	icense No		<i></i>	585							/day/yr) <b>07/03/12</b>	
	usiness name		Δεες		d Enviro	nmental		valoi YV	Bu /a	ignature\ Rr	adlev -l	. Johnson	
INSTR	UCTIONS: Ple	ase fill in b	lanks and circle th	ne correct	answers. S	end three co	pies to Kans	sas Depa	rtment of	Health and Envi	ronment, B	urgan of Waler, Jopeka,	$\dashv$
Kansas	s 66620-0001.	Telephone:	913-296-5545.	Send one	to WATER	WELL OWN	ER and retai	in one for	your reco	ords.`	Bound	Ed. 111	