

WATER WI			WWC-5 1151	L	Division of Wat						
Original Record Correction Change I LOCATION OF WATER WELL:			ge in Well Use Fraction	esources App. 1	ion Number Township Numl			Well ID			
County:							$\begin{array}{c c} T & S & R & \Box E \Box W \end{array}$				
2 WELL OW	NER: La	st Name:	First:		eet or Rural Address where well is located (if unknown, distance and						
Business:					irection from nearest town or intersection): If at owner's address, ch						
Address: Address:											
City:		State:	ZIP:								
3 LOCATE WI	ELL				0 -						
WITH "A" IN Dopth(a) Groundwater			IPLETED WELL: Encountered: 1) ft.								
SECTION BO	OX:	1	2) ft. 3) ft., or 4) \Box 1			Longitude:					
N		WELL'S STATIC WATER LEVEL:					Latitude/Longitude:	65 []1	AD 27		
			, measured on (mo-day-				mit make/model:)		
NW N	E	above land surface, measured on (mo-day-yr)							√o)		
W E		Pump test data: Well water was ft. after hours pumping			Land Survey Topographic Map Opling Manager						
		Well v									
x - SW SI	E	after hours pumping									
		Estimated Yield:gpm				6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map					
S		Bore Hole Diameter:		Source	Dther						
Image:											
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease											
Household		6. 🗌 Dewaterin				1 ID					
🗌 Lawn & Gai	rden	7. 🗌 Aquifer R	7. 🗌 Aquifer Recharge: well ID			Cased 🗌 Unca			Uncased 🔲 Geotechnical		
				g: well ID			I: how many bores?				
			al Remediation: well II		a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water						
3. ☐ Feedlot						13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Ves No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. o ft. to ft.											
Septic Tank		Lateral Line	es 🗌 Pit Privy		Livestock P	ens	Insectici	de Storage	<u>,</u>		
	Sever Lines Cess Pool Fuel Storage Abandoned Water Well										
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
Other (Specify) Direction from well? ft.											
	ГО	LITHOLO		FROM			HO. LOG (cont.) or I	PLUGGIN	GINTERVALS		
	10	Lillolo		TROM	10				GINTERVILLS		
ļ											
├ ─── │ ──											
<u>├</u>	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
Kansas Water W	Vell Cont	tractor's License No	This Wa	ater Well R	lecord was co	mplet	ed on (mo-day-year	ar)			
under the busine	ess name	of Send one copy to WATER W			maarde Ecf*	5 00 f	w aaah acmatmi-t-1	<u></u>			
KS Department o									e 785-296-3565.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											