

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Jacob Merrita
Doc ID	1461756

Litholgy

0	22	TOP SOIL, BROWN CLAY, WITH FINE SAND STREAKS
22	40	FINE COARSE SAND, DRILLED FAST, WITH SMALL/MEDIUM GRAVEL
40	60	FINE COARSE SAND, WITH BROWN/TAN CLAY STREAKS
60	80	FINE MEDIUM SAND, WITH TAN CLAY STREAKS
80	89	TAN, WHITE CLAY, CALICHE, AND FINE SAND
89	100	TAN ROCK, TAN CLAY, WITH FINE SAND STREAKS
100	115	FINE COARSE SAND, WITH STREAKS OF SAND AND GRAVEL
115	128	TAN CLAY, WITH FINE MEDIUM SAND STREAKS
128	160	FINE COARSE SAND
160	180	FINE SAND, WITH TAN CLAY
180	210	FINE COARSE SAND, ROCK LAYERS, TAN/BROWN CLAY STREAKS
210	220	FINE COARSE SAND, WITH TAN/BROWN CLAY
220	235	FINE SAND, WITH BROWN CLAY STREAKS

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Jacob Merrita
Doc ID	1461756

Litholgy

235	240	FINE COARSE SAND, WITH GRAVEL STREAKS, AND CLAY LAYERS
240	250	TAN CLAY, WITH FINE SAND
250	260	FINE COARSE SAND
260	280	FINE MEDIUM SAND
280	297	FINE COARSE SAND, WITH STREAKS OF GRAVEL
297	300	STICKY TAN/YELLOW CLAY, WITH FINE SAND STREAKS
300	317	TIGHT FINE SAND, WITH TAN CLAY STREAKS
317	320	WHITE CALICHE, SOFT ROCK, FINE SAND
320	340	BLUE CLAY