## KOLAR Document ID: 1507837

	WELL R			WWC-5		vision of Wat				
		Correction		ge in Well Use		ources App. 1			Well ID	
		ATER WEL	L:	Fraction		ction Number	er	Township Numb		nge Number
County				1/4 1/4 1/2		1 4 1 1	1	T S	R	
2 WELL Business:	OWNER: L	ast Name:		First:				re well is located		
Address:					direction from	nearest town o	or inter	section): If at owner	r's address,	
Address:										
City:		-	State:	ZIP:						
3 LOCAT		4 DEPTH	OF COM	<b>IPLETED WELL:</b>	f	5 Latit	۰مbu			(degimal degrage)
WITH "				Encountered: 1)				e:		-
SECHO	N BOX:			3) ft., or 4) [				WGS 84 🗌 NAI		NAD 27
	` 			TER LEVEL:		Sourc		Latitude/Longitude		
				, measured on (mo-day				unit make/model:		
NW	NE			, measured on (mo-day- vater was				WAAS enabled?		10)
w	Б	~		s pumping				Survey 🗌 Topogra		
	E	unter		vater was			Jiiiiie	e Mapper:	• • • • • • • • • • • • • • • • • • •	
SWA -	SE	after	hours	s pumping	. gpm				_	
		Estimated Y	'ield:	gpm				:ft.		
	S	Bore Hole I		in. to		Sourc		Land Survey 🗌 🤇 Other		
1 r				in. to	ft.			Ouler		
1. Domestic:		BE USED A		ton Sumply, wall ID				ld Watan Summiru Ia	222	
T. Domestic. ☐ House				ater Supply: well ID g: how many wells?				ld Water Supply: le well ID		
				echarge: well ID						
Livesto				g: well ID				al: how many bores		
2. 🗌 Irrigati				al Remediation: well II				Loop Horizont		
3. 🗌 Feedlo			Air Sparge		Extraction			Loop 🔲 Surface Di		
4. 🗌 Industr			Recovery	-				specify):		
				nitted to KDHE?	Yes 🗌 No	If yes, dat	e san	nple was submitte	d:	
		Yes								
				C Other						
		in. to		Diameter . Weight				or gauge No		
		PERFORA			105./11.	wan unc	KIICSS	of gauge 100	• • • • • • • • • • • • • • • • • • • •	
		less Steel		$\square$ PVC		🗌 Otl	her (S	Specify)		
Brass		anized Steel		🗌 None u	used (open hol		- (-	1		
SCREEN C	OR PERFOR	ATION OPE	NINGS A	RE:						
	nuous Slot	☐ Mill Slot						Other (Specify)		
_	ered Shutter	Key Punch				None (Open H		с <b>Б</b>	<b>c</b> .	c
				n ft. to	· ·			,		
				n ft. to ] Cement grout 🛛 Be						
				ft., From						••••
		e contaminati	on: No	potential source of cor	ntamination wi	thin 200 ft.				
□ Septic			Lateral Line			Livestock Pe	ens	□ Insectio	cide Storage	
Sewer 2			Cess Pool	🗌 Sewage La		Fuel Storage			oned Water	
	□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well									
Direction from well? ft.										
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		GINTERVALS
	-	-	020			-				
					Notes:					
					THOLES:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged										
under my ju	urisdiction ar	nd was compl	eted on (n	no-day-year)	and	this record	is tru	e to the best of m	y knowled	ge and belief.
	Kansas Water Well Contractor's License No									
under the b	under the business name of									
KS Departr				Water, Geology Section, 10						e 785-296-3565.
Visit us at h	ttp://www.kdhe	ks.gov/waterwel	l/index.html						KS	SA 82a-1212

Form	WWC5
Contractor	Jonagan Water Well Service, LLC
Well Owner	Charles Spikes
Doc ID	1507837

## Lithology

From	То	LithologicLog
0	6	topsoil
6	11	fine sand
11	22	brown sandy clay
22	43	brown clay sticky
43	54	brown sandy clay
54	62	brown sandy clay few hd st
62	70	fine med sand and gravel loose st of clay
70	74	rock hard
74	77	fine sand and gravel loose with hd st
77	84	rock hd
84	92	fine sand and gravel loose
92	94	rock hd
94	108	brown sandy clay
108	112	fine to med sand and gravel loose
112	113	brown sandy clay
113	116	rock hd
116	124	brown sandy clay with hd st
124	134	brown sandy clay
134	135	rock hd
135	143	fine to med sand and gravel loose
143	162	brown clay sticky

Form	WWC5
Contractor	Jonagan Water Well Service, LLC
Well Owner	Charles Spikes
Doc ID	1507837

## Lithology

From	То	LithologicLog
162	167	fine to med sand and gravel loose
167	168	rock hd
168	173	brown sandy clay few hd st
173	177	fine to med sand and gravel loose
177	181	brown clay rock hd
181	188	rock hd
188	191	fine sand and gravel
191	194	rock hd
194	200	brown clay with hd st and sticky
200	201	rock
201	205	brown clay sticky
205	210	fine sand and gravel loose
210	221	brown clay sticky
221	224	brown sandy clay
224	230	fine to med sand gravel loose
230	240	brown clay sticky
240	245	brown sandy clay
245	252	fine to med sand gravel loose
252	254	brown sandy clay
254	270	fine med sand gravel loose
270	272	clay
272	281	fine to med sand gravel loose

Form	WWC5
Contractor	Jonagan Water Well Service, LLC
Well Owner	Charles Spikes
Doc ID	1507837

Lithology

From	То	LithologicLog
281	290	yellow clay