KOLAR Document ID: 1519203

WATER V		ECORD Correction		WWC-5	2			ion of Wate			Well I	<sub>Б</sub> [	
			Fraction			Resources App. No.  Section Number Township Numb					ge Number		
County: 14 1/4				1/4 1/2						□ E □ W			
					Street or	reet or Rural Address where well is located (if unknown, distance and							
Business:						direction fr	om ne	earest town or	r inte	rsection): If at owner	r's addre	ss, c	heck here:
Address: Address:													
City:			State:	ZIP:									
3 LOCATE	WELL												
WITH "X				IPLETED '			ft.						
SECTION	BOX:			Encountered: 3) f			11			e:			
N				TER LEVEL			П			WGS 84 NAI		_  N	AD 27
				, measured or						<u>Latitude/Longitude</u> unit make/model:			,
NW	- NE			measured or						WAAS enabled?			
	1	~		vater was ft.				□L		Survey Topogr			•
W	Е	after		s pumping					nline	e Mapper:			
SW	- SE	aftar		vater was									
		Estimated Y		pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TOC					
S				gpin in. to ft. ar				Source: Land Survey			GPS [	To	pographic Map
1 mi	le			in. to						Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: v						eld Water Supply: 16			
Househo				g: how many						: well ID			••••
Lawn &				echarge: wel									
☐ Livestoc				g: well ID									
3. ☐ Feedlot	11		] Air Sparge	ll Remediation: well ID			••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wa					
4. ☐ Industria	ıl		Recovery		jection					(specify):			
Was a chem	ical/bacteri	ological san	nple subm	itted to KD	HE? 🗆	Yes $\square$ 1	No ]	If yes, date	e sar	nple was submitte	d:		
Water well d					_	_		•		ı			
8 TYPE OF	CASING	USED: □ S	teel PV	C   Other .		CA	SIN	G JOINTS	S: 🗆	Glued Clamped	d ☐ We	lded	☐ Threaded
										in. to			
Casing height						lbs.	/ft.	Wall thick	kness	or gauge No		•••	
TYPE OF SO			ΓΙΟΝ MA							7 (0)			
☐ Steel ☐ Brass		less Steel mized Steel			☐ PVC	used (open	hala)		ner (S	Specify)		• • • • •	•••••
SCREEN OF			NINGS AI		☐ None (	iseu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrappe	d □To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvere		☐ Key Punch						ne (Open H					
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	ı ft	. to	ft., Fro	m	ft. to	o	ft., From	ft	. to .	ft.
GR	AVEL PAC	K INTERV	ALS: Fron	n ft	. to	ft., Fro	om	ft. t	o	ft., From	ft	. to	ft.
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.													
			No	ft., From	raa of aar	tt. to	th	ft., From	••••	tt. to	ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft.  ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Sewer Li			Cess Pool			agoon		uel Storage		☐ Abando			Vell
☐ Watertig	ht Sewer Line	es 🗆 S	Seepage Pit	□ I	Feedyard			ertilizer Sto					
Other (S	pecify)												
					ce from w					ft.		173.76	S DIEDERILLE
10 FROM	TO	L	ITHOLOG	JIC LUG		FROM	/1	TO	LH	HO. LOG (cont.) or	PLUGG	iINC	INTERVALS
			·										
						Notes:	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged													
under my jur	under my jurisdiction and was completed on (mo-day-year)												
Kansas Wate	er Well Cont	ractor's Lice	ense No		This W	ater Well	Reco	rd was con	mple	eted on (mo-day-y	ear)		
under the bu	siness name	of	****	TT 1 011				1 5 2		or each <u>constructed</u> we		<u></u>	<u></u>
KS Denartme	S ent of Health ar	end one copy to d Environment	o WATER W . Bureau of V	ELL OWNER Vater, Geology	Section 10	one for your 000 SW Jack	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	и. 57. Telepl	ione	785-296-3565
_	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> <a href="https://www.kdheks.gov/waterwell/index.html">KSA 82a-1212</a>												

Form	WWC5	
Contractor	Jonagan Water Well Service LLC	
Well Owner	Luis Aguilera	
Doc ID	1519203	

## Lithology

From	То	LithologicLog
0	9	top soil
9	30	brown sandy clay
30	42	brown clay hard str
42	77	brown sandy clay hard str
77	79	rock hard
79	80	fine med sand gravel loose
80	85	rock hard
85	87	fine med sand gravel loose
87	90	rock hard
90	92	rock hard
92	94	brown clay
94	100	rock hard
100	102	fine med sand and gravel loose
102	107	rock hard
107	131	brown sandy clay with hard str
131	143	brown sandy clay
143	152	fine med sand and gravel loose
152	160	brown sandy clay
160	170	brown clay
170	172	rock hard
172	175	brown clay
175	183	brown sandy clay with hard str

Form	WWC5
Contractor	Jonagan Water Well Service LLC
Well Owner	Luis Aguilera
Doc ID	1519203

## Lithology

From	То	LithologicLog
183	195	brown sandy clay
195	197	fine med gravel loose
197	201	brown clay with hard str of rock
201	202	fine med sand gravel loose with hd str of rock
202	205	brown clay
205	209	brown sticky clay with hard str
209	220	brown clay sticky
220	228	fine med sand loose
228	233	brown clay sticky
233	244	fine to med sand gravel loose
244	254	brown sandy clay with str of rocks
254	264	brown clay sticky
264	272	fine med sand gravel loose
272	280	brown clay few str of sand
280	285	brown clay
i.		