			TER WELL REC	CORD	Form W	WC-5	KSA 82	a-1212	ID No)		·	
	N OF WATE Finney	R WELL:	Fraction SE 1/4	NE	_{1/4}]	NW 1/4		ection Nu 10	ımber	Townshi T 2	p Number 4 s	1	ge Number
			wn or city street , Garden			cated w	vithin city?						X
2 WATER W			vay Termin	-									***
RR#, St. Addr	ess, Box #	: 1650 : Port	Ernest Wi Allen, LA	1son D 70767						Applica	tion Number:		Vater Resources
3 LOCATE W	ELL'S LOC	ATION WITH	4 DEPTH OF (COMPLET	ED WEL	∟49	8	ft.	ELEVAT	TON:			
AN "X" IN S	SECTION BO	OX:	Depth(s) Grou WELL'S STAT	ndwater E IC WATER	ncounter LEVEL.	ed 1 40.4	. 5 ft. b	elow land	ft. I surface	2 e measured or	ft. 3 mo/day/yr	3	ft.
													gpm gpm
N	w- X -	NE	WELL WATER	TO BE U	SED AS:	5 P	ublic wate	r supply		8 Air conditio	ning 11 l	njection wel	l
w	1	<u> </u>	1 Domestic 2 Irrigation		eedlot dustrial		il field wa omestic (rden) (1	9 Dewatering Monitoring	well MW-	Other (Speci	ity below)
8	w	SF	Mas a shomio	al/hactorio	logical er	ample ei	ubmitted t	o Donartr	mant? V	'es No	X . If yes	mo/day/yrs s	ample was sub
	l I		mitted	ai/Dacterio	iogical so	ample st	ubriiited i	o Departi		ater Well Disinf		no/day/yrs s	No No
5 TYPE OF	S BLANK CA	SING USED:		5 Wrou	ght iron		8 Con	crete tile		CASING	JOINTS: Glue	ed C	lamped
1 Steel		3 RMP (S	R)		stos-Cen	nent		er (specify	,		Wel	dedX	
2 VC	diameter	4 ABS	2in. to	7 Fiber		Dia				ft			toft.
			3 1		 veiaht	Dia				lbs./ft. Wall thi	ckness or qua	ge No. Sc	h 40
-			N MATERIAL:	,	3		7	PVC			Asbestos-Cer	-	
1 Steel 3 Stainless S				•			8 RMP (SR) 9 ABS			11 Other (Specify)			
2 Brass	DEDEODA	4 Galvani		6 Conc							None used (o		(onen hole)
SCREEN OR 1 Continu			MGS ARE: Mill slot	: 5 Guazed wrapp 6 Wire wrapped				d 8 Saw co 9 Drilled			les	II None	(open hole)
	ed shutter		(ey punched			Torch (ft
SCREEN-PE	RFORATED	INTERVALS	: From	39.	88 _{ft} .	to	49.8	38 ft.	, From		ft. to	·	ft.
GR	AVEL PACE	(INTERVALS	From	35	ft. ft	to	49.8	ft. 38 ft	, From . From		ft. to))	ft.
l dir	AVELTAGI	VIIVI LIVALO	From		ft.	to		ft.	, From		ft. to)	ft
6 GROUTI	MATERIAL:	1 No.	at cement	2.00	mont are	+	(2)	entonite		Othor			
Grout Interval			ft. to3	5 ft	ment gro	ui	ى f	t to	4				
			contamination:		.,					ock pens		Abandoned	
1 Septic tank 4 Lateral			ral lines				11 F		Fuel st	uel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			s pool	8 Sewage			-			zer storage	16	16 Other (specify below)	
3 Watert	page pit	9 Feedyard				13 Insecticide storage							
Direction from			LITUOLOGI	0100			FDOM		ow man	-	PLUGGING II	ITEDWALC	
FROM 0	10'	Brown es	LITHOLOGI andy clay	C LOG			FROM	то	-		PLOGGING II	TIENVALS	
<u> </u>	20'	Fine sar											
	50'		coarse sa	nd-3/8	" ora	ve1							
								<u> </u>					
7													
7 CONTRAC	TOR'S OR	LANDOWNE 3/9	R'S CERTIFICA 0/05	ATION: Th	is water	well was	(1)) on:	structed, ((2) reco	nstructed, or (3) plugged un	der my juris	diction and was
Water Well Co	ontractor's L	icence No	540		This	Water V	Nell Reco	rd was co	mpleted	d on (mo/dav/v	r)	nowledge at	J
			le Land En								40	5/	1
INSTRUCTION	NS: Use typewr	iter or ball point pe	en. <i>PLEASE PRESS</i>	FIRMLY and I	PRINT clear	ty. Please t	fill in blanks,	underline or	circle the	correct anguers. Se			
		Nater, Geology Se constructed well	ection, 1000 SW Jack	son St., Suite	420, Topek	a, Kansas	66612-1367.	relephone 7	785-296-58	522. Send one to W	VALER WELL OW!	ı∟H and retain d	ne for your