		WA	ATER WELL	RECORD	Form WWC	C-5 KS	SA 82a-12	12 ID N	lo				
1 LOCATIO	ON OF WA	TER WELL:	Fraction	1			1	n Number	Town	ship Number	Ra	ange Numbe	r
	Finney			14 NE		V 1/4		.0	l T	24 s	R	33 🖔	<b>(W</b> )
1		from nearest to t Jones A	-			ted within	city?						
2 WATER	WELL OW		-	minal Co									
RR#, St. Add City, State, Z	,	π.		Wilson LA 7076						d of Agriculture		Water Reso	ources
3 LOCATE V	WELL'S LO	CATION WITH	4 DEPTH	OF COMPLE	TED WELL .	48,8	5	ft. ELEVA	TION:				
_	SECTION	•								ft I on mo/day/yr.			
	N	<del></del> -	WELL'S S	TATIC WATE	R LEVEL	37.3U	ft. below	land surfac	ce measured	l on mo/day/yr.			
	1	1	Est. Yield							hours			
	NM- <b>X</b> - -	- NE	WELL WA	TER TO BE U			water su		8 Air cond	itioning 11			. 95
		_	1 Dom		Feedlot	6 Oil fiel	d water s	upply	9 Dewater		Other (Spe	ecify below)	
W	1	E	2 Irriga	ation 4 i	ndustrial	/ Dome:	suc (lawn	& garden)	TO MONITOR	ng wellMW		•••••	
	sw	- SE	Man a aba		alasiaal aam		A. D.		Vaa Na	Χ			
'	1	1	was a cne	Was a chemical/bacteriological sample submitted to Department? Yes No								sample wa	s sub-
		1											
5 TYPE OF	F BLANK C	ASING USED:		5 Wro	ught iron	R	Concrete	tilo	CASII	NG JOINTS: GI	und	Clamped	
1 Steel	<i>D</i> 2,	3 RMP (SI			estos-Cemen			ecify below					
2 <b>9</b> VC		4 ABS		7 Fibe	rglass					Th	readed	X	
Blank casing	diameter	2 nd surface	iդ. t	38.	.45 ft., Dia	a		in. to		. ft., Dia	i	n. to	ft.
					weight		_					)CII 40	
1	CREEN OF	R PERFORATIO 3 Stainles	N MATERIAL: S Steel 5 Fiberglass			(	7)PVC 8 RMP		10 Asbestos-Cement 11 Other (Specify)				
1 Steel 2 Brass		4 Galvaniz	_				9 ABS	(311)		12 None used		***************************************	
		ATION OPENIN	NGS ARE:		5 G	uazed wr	apped		8 Saw cı	ıt	11 Non	e (open hole	<del>-</del> )
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes											` '	•	
2 Louve	red shutter	4 K	ey punched	20 //		orch cut				(specify)			
SCREEN-PE	ERFORATE	D INTERVALS:	: From	38.43	ft. to	48	45	ft., From		ft.	to		ft.
GF	RAVEL PAG	CK INTERVALS	From	35		48	3.45	ft., From		ft. ft.	to	•••••	ft.
	0.00		From		ft. to			ft., From		ft.	to		ft.
C ODOUT	NATERIA	l. d. Nasa						••	4.00				
6 GROUT	MATERIA	L: 1 Nea:	t cement	35	ement grout	6	3 Benton	nite 4	4 Other			•••••	
		rce of possible			ii., Fioiii	•••••	n. to .						
1 Septic tank 4 Later							vy		10 Livestock pens 11 Fuel storage		<ul><li>14 Abandoned water well</li><li>15 Oil well/Gas well</li></ul>		
2 Sewe		5 Cess				8 Sewage lagoon		12 Tertilizer storage			16 Other (specify below)		
3 Water	rtight sewe	r lines 6 Seep	_				- (2)						
Direction from	m well?							How many feet?					
FROM	TO			OGIC LOG		FF	ROM	то		PLUGGING	INTERVAL	S	
0	10'	Brown sa	<u> </u>	•									
10'	20'	Fine to			211	_							
20'	50 <b>'</b>	Fine to	coarse	sand-3/8	3" grave	1							
						_							
CONTRAC	CTOR'S O	R LANDOWNE	R'S CERTIF	FICATION: TI									
completed on	(mo/day/ye	ear) 3/9	// U.S 5//0				- -	. and this re	cord is true to	o the best of my	knowledge	and belief. K	ansas
										y/yr)	راسال	//	
		e of Prairi								MI)	M		- 101
and Environm	nent, Bureau o	writer or ball point pe f Water, Geology Se	ction, 1000 SW										aith
		ch constructed well.										-	