4 LOCATION OF WATER WELL	WATER WELL RECORD		KSA 82a-121			Dance North
1 LOCATION OF WATER WELL: County: Finney	Fraction NE 1/4 SE 1/4	SW 1/4 Sec	tion Number	Township Num		Range Number
County: Finney Distance and direction from nearest to			12	⊺ 24	S I	R 33 W ⊁
	Massey Ferguson		City, Kansas	5		
WATER WELL OWNER: Garde	n City Coop Bulk Plant					
R#, St. Address, Box # : 1304				Board of Agricult	ture, Division	of Water Resources
ity, State, ZIP Code : Garde	n City, Ks 67846			Application Num	ber:	
LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:	4 555711 05 001151 5755 115	51	6 51514	TION		
JAN "X" IN SECTION BOX:	Death(s) Countries 5	LL 31	π. ELEVA	IION:		
	Depth(s) Groundwater Encountered WELL'S STATIC WATER LEVEL	ed 1	π. 2	<u> </u>	^{ft.} 3	Ft.
, N	WELL'S STATIC WATER LEVEL	ft.	below land sur	face measured on	mo/day/yr	
1 	Pump test data: Wel Est. Yield Gpm: Wel Bore Hole Diameter 8.625 I	ll water was	Ft.	after	hours pumpi	ngGpm
NWNE	Est. Yield Gpm: Wel	ll water was		atter	_ Hours pumpi	ingGpm
	Bore Hole Diameter 0.023 I	n. to 5	F1	t. and	in. to	Ft.
£ W	Bore Hole Diameter 8.625 I WELL WATER TO BE USED AS: 1 Domestic 3 Feed lot	6 Oil field water	supply	9 Dewatering	12 Oth	ner (Specify below)
	2 Irrigation 4 Industrial	7 aum and ann	ion (domontia)	10 Manitarina	MW-	5R
sw- <u>-</u> se	2 Irrigation 4 Industrial	/ Lawn and gard	en (domestic)	IV IMONITORING W	ell ivivv	
↓	Was a chemical/bacteriological sa	imple submitted to L				
TYPE OF BLANK CASING USED:	Submitted			Well Disinfected?		
	5 Wrought Iro					Clamped
		ement 9 Other	(specify below)		Welded	······
2 PVC 4 ABS	7 Fiberglass				Threaded) X
lank casing diameter 2	In. to 20 Ft., Dia	In. t	o	ft., Dia	in. to	ft.
asing height above land surface		SCH 40	Lbs./ft. V	Vall thickness or ga	auge No.	
YPE OF SCREEN OR PERFORATIO			PVC			
1 Steel 3 Stainle	ess steel 5 Fiberglass					
	nized steel 6 Concrete til	е 9	ABS	12 None u	sed (open hol	e)
CREEN OR PERFORATION OPENIN		Gauzed wrapped		8 Saw cut	11 N	None (open hole)
		Wire wrapped		9 Drilled holes		
		Torch cut	- 1	Other (specify))	-
CREEN-PERFORATED INTERVALS		30	tt. Fro	m	ft. to	ft.
CAND DAOK INTERVALO	From ft. to	5 1	π. Fro	m	ft. to	Ft.
SAND PACK INTERVALS:	From 18 ft. to				. .	
	From ft. to		ft. Fro	m	ft. to	, Ft.
GROUT MATERIAL: 1 Neat		0.0				
_GROOT MATERIAL: T Neat	cement 2 Cement grout Ft.	3 Ben	tonite 4	Otner	· · · · · · · · · · · · · · · · · · ·	
Grout Intervals From3 16	Ft. to 18 From 2 0	to	16	ft. From	ft.	toft.
/hat is the nearest source of possible	contamination:		10 Livestoo			ed water well
1 Septic tank	4 Lateral lines 7 Pi	t privy	11 Fuel sto	rage	15 Oil well/	Gas well
2 Sewer lines	5 Cess pool 8 Se	ewage lagoon	12 Fertilize	r storage	16 Other (sp	ecify below)
3 Watertight sewer lines	6 Seepage pit 9 Fe	eedyard	13 Insectici	de storage	Contan	ninated Site
rirection from well?			How many fee	et?		
FROM TO CODE	LITHOLOGIC LOG	FROM	то	PLUG	GING INTER\	/ALS
	evious well					
25 51 Sa	nd (SW) fine to medium					
51 TD En	d of Borehole					
			<u> </u>			
Ть	is well was drilled to		-			
	deeper depth in same					
	cation as previous well					
			-			
CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION: This water w	ell was (x) construc	ted (2) recons	tructed or (3) plug	ged under my	jurisdiction and w
ompleted on (mo/day/yr)		And thi				
/ater Well Contractor's License No.				rd was completed		
ater well contractor's License No	Associated Environm	nental Inc	D	ra was completed signature) B ray d		
INSTRUCTIONS:. Please fill in blank	is and circle the correct answers. Send	three copies to Kansa	as Department of	Health and Fruitan	ment. Bureau o	f Water, Topeka
Venne 66600 0001 Telephone 01	2 206 EE4E Cond one to MATER ME	L OM/NED and ratein	ope for your rec	ricalti and by	The same of	Trater, Topeka,