~		m WWC-5 KSA 82a-1		
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Finney	NE ¼ SE ½ SW		т 24 s	R 33 √ X≤
Distance and direction from nearest town or city street address of well if located within city? Massey Ferguson Road, Garden City, Kansas				
2 WATER WELL OWNER: Garder				
RR#, St. Address, Box # : 1304 M			Board of Agriculture Div	ision of Water Resources
City, State, ZIP Code : Garder			Application Number:	Sion of Water Nesources
a LOCATE WELL'S LOCATON WITH				
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL	51 ft. ELEV	ATION:	
	Depth(s) Groundwater Encountered 1	31 ft.	2 ft.	3 Ft. S
N	WELL'S STATIC WATER LEVEL	ft. below land s	urface measured on mo/day/	yr 7
 	Pump test data: Well water v			oumping Gpm C
	Fet Vield Gnm: Well water v	was E	after Hours	numping Com 0
NW NE	Bore Hole Diameter 8.625 In. to	51	Ft. and ir	n. to Ft.
E E	WELL WATER TO BE USED AS: 5 Pu	blic water supply	8 Air conditioning 1	1 Injection well
-	Bore Hole Diameter 8.625 In. to WELL WATER TO BE USED AS: 5 Pul 1 Domestic 3 Feed lot 6 Oil	field water supply	9 Dewatering 1	2 Other (Specify below)
sw se	2 Irrigation 4 Industrial 7 Lav	vn and garden (domestic) 10 Monitoring well	/IW-21R
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Was a chemical/bacteriological sample su			
	Submitted		er Well Disinfected? Yes	
5 TYPE OF BLANK CASING USED:	5 Wrought Iron	8 Concrete tile		
1 Steel 3 RMP (S	•	9 Other (specify below		
2 PVC 4 ABS	,			
	7 Fiberglass Ft.,			
Blank casing diameter 2	In. to 20 Dia	In. to	ft., Dia	in. to ft.
Casing height above land surface	FLUSH in., weight SO	H 40 Lbs./ft	Wall thickness or gauge No	
TYPE OF SCREEN OR PERFORATION		7 PVC	10 Asbestos-ceme	ent
	ss steel 5 Fiberglass			
	nized steel 6 Concrete tile	9 ABS	12 None used (ope	en hole)
SCREEN OR PERFORATION OPENING		wrapped		11 None (open hole)
1 Continuous slot 3	Mill slot 6 Wire w	rapped	9 Drilled holes	
2 Louvered shutter 4	Key punched 7 Torch o	ut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS:	From 20 ft. to	50 ft. Fr	rom ft. t	o ft.
	From ft. to			
SAND PACK INTERVALS:	From 18 ft. to	51 ft. Fi	rom ft. t	o Ft.
	From ft. to	ft. F		
6 GROUT MATERIAL: 1 Neat ce	ement 2 Cement grout	3 Bentonite	4 Other	
	Ft.	Ft.		
Grout Intervals From3 16	Ft. to 18 From 2 0	to 16	ft. From	ft. toft.
What is the nearest source of possible co	ontamination:	10 Livesto	ock pens 14 Aba	andoned water well
1 Septic tank	4 Lateral lines 7 Pit privy	11 Fuels	torage 15 <u>Oil</u>	well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage la	igoon 12 Fertiliz	er storage 16 Oth	ner (specify below)
3 Watertight sewer lines	6 Seepage pit 9 Feedyard	13 Insecti	cide storage Co	ntaminated Site
Direction from well?		How many f	eet?	
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING IN	TERVALS
	evious well			
	nd (SW) fine to coarse			
51 TD End	d of Borehole			
	s well was drilled to			
	leeper depth in same cation as previous well			
Loc	ation as previous well			
7 CONTRACTOR'S OR LANDOWNER	'S CERTIFICATION: This water well was	(x) constructed, (2) recor	structed, or (3) plugged und	er my jurisdiction and w
Completed on (mo/day/yr)	10/18/06		ue to the best of my knowled	
Water Well Contractor's License No.			cord was completed on (mo/o	- 1
under the business name of	Associated Environmental		(signature) Bradley J.	
INSTRUCTIONS: Please fill in blanks	and circle the correct answers. Send three cor	pies to Kansas Department	of Health and Environment, Bu	reau of Water, Topeka,
Kansas 66620-0001 Telephone: 913-	-296-5545 Send one to WATER WELL OWN	R and retain one for your r	acorde :	